

The **tugboat** package^{*}

The *TUGboat* team

2024-04-15

Contents

1 Document preambles	2
2 Introduction	2
2.1 Summary of control sequences	2
3 L^AT_EX 2_ε TUGboat class file	6
3.1 Setup and options	6
3.2 Resetting at start of paper	10
3.3 Helpful shorthands (common code with Plain styles)	10
3.4 Abbreviations and logos	12
3.5 General typesetting rules	17
3.6 Utility registers and definitions	18
3.7 Ragged right and friends	19
3.8 Assorted user-level markup	20
3.9 Reviews	24
3.10 Dates, volume and issue numbers, etc.	25
3.11 Page dimensions, glue, penalties, etc.	29
3.12 Messing about with the L ^A T _E X logo	30
3.13 Authors, contributors, addresses, signatures	31
3.14 Article title	37
3.15 Section titles	38
3.16 Section headings	42
3.17 Appendices	45
3.18 References	46
3.19 Title references	46
3.20 Float captions	48
3.21 Size changing commands	49
3.22 Lists and other text inclusions	49
3.23 Some fun with verbatim	50
3.24 Bibliography	52
3.25 Registration marks	56
3.26 Running headers and footers	56
3.27 Output routine	59
3.28 Font-related definitions and machinery	59

*This file has version number v2.32, last revised 2024-04-15

3.29	Editor's notes and other footnotes	60
3.30	Initialization	61
4	\LaTeX\ 2ϵ proceedings class (no longer used)	62
4.1	Proceedings titles	64
4.2	Section divisions	67
5	Plain \TeX\ styles	68
6	The \LaTeX\ 2ϵ compatibility-mode style files	69

1 Document preambles

```

1 <\tugboatcls | \tugproccls | \tugcomm>\NeedsTeXFormat{LaTeX2e}[1994/12/01]
2 <*dtx>
3 \ProvidesFile {tugboat.dtx}
4 </dtx>
5 <\tugboatcls>\ProvidesClass {ltugboat}
6 <\tugproccls>\ProvidesClass {ltugproc}
7 <\tugboatsty>\ProvidesPackage{ltugboat}
8 <\tugprocsty>\ProvidesPackage{ltugproc}
9 <\tugcomm> \ProvidesPackage{ltugcomm}
10 [2024-04-15 v2.32
11 <\tugboatcls> TUGboat journal class%
12 <\tugproccls> TUG conference proceedings class%
13 <\tugboatsty | \tugprocsty> TUG compatibility package%
14 <\tugcomm> TUGboat 'common macros' package%
15 <*dtx>
16 TUG macros source file%
17 </dtx>
18 ]

```

2 Introduction

This file contains all the macros for typesetting *TUGboat* with both plain \TeX and \LaTeX\ 2 ϵ .

2.1 Summary of control sequences

Abbreviations. Just a listing with indications of expansion where that may not be obvious. For full definitions, see real code below (Section 3.4).

\AllTeX	(\La)TeX
\AMS	American Mathematical Society
\AmSTeX	
\aw	A-W (abbreviation for Addison-Wesley)
\API	
\AW	Addison-Wesley
\BibTeX	
\CandT	Computers & Typesetting
\ConTeXt	ConTeXt

\Cplusplus	C++
\DTD	
\DVD	
\DVI	
\DVIPDFMx	DVIPDFM x
\DVItoVDU	DVItoVDU
\ECMA	
\EPS	
\eTeX	ε -T _E X
\ExTeX	ε_x T _E X
\Ghostscript	
\Hawaii	Hawai‘i
\HTML	
\ISBN	ISBN
\ISO	
\ISSN	ISSN
\JTeX	
\JoT	The Joy of T _E X
\LaTeX	
\LyX	
\macOS	mac OS
\Mac OSX	Mac OS X
\MathML	
\Mc	M with raised c
\MF	METAFONT
\mf	METAFONT
\MFB	The Metafontbook
\MP	METAPOST
\mp	MetaPost (in text only: still ‘ \mp ’ in math)
\OMEGA	Omega ‘logo’ (Ω)
\OCP	Omega compiled process
\OOXML	
\OTP	Omega translation process
\mtex	multilingual T _E X
\NTS	New Typesetting System
\pcMF	pcMF
\PCTeX	
\pcTeX	
\Pas	Pascal
\PiCTeX	
\plain	plain (in typewriter font)
\POBox	P. O. Box
\PS	PostScript (with hyphenation)
\SC	Steering Committee
\SGML	SGML
\SliTeX	
\s1MF	Metafont, slanted: deprecated: use \textsl instead
\stTeX	T _E X for the Atari ST
\SVG	

\TANGLE	
\TB	The TeXbook
\TeX	(Although nearly every package defines this, most, including plain, are missing the spacefactor adjustment)
\TeXhax	
\TeXMag	(defunct)
\TeXtures	
\TeXxeT	
\Thanh	
\TFM	TFM
\TUB	<i>TUGboat</i>
\TUG	\TeX Users Group
\UNIX	
\VAX	
\VnTeX	
\VorTeX	
\XeT	
\XeTeX	reflected and lowered first ‘E’
\XeLaTeX	with extra space before ‘L’
\XML	
\WEB	
\WEAVE	
\WYSIWYG	

Macros for things that are slightly more significant.

\NoBlackBoxes	turns off marginal rules marking overfull boxes
\BlackBoxes	turns them back on
\newline	horizontal glue plus a break
\ifundefined#1	checks argument with \csname against \relax
\topsmash	smashes above baseline (from AMSTeX)
\botsmash	smashes below baseline (from AMSTeX)
\smash	smashes both (from plain)
\ulap	lap upwards
\dlap	lap downwards
\xlap	reference point at center horizontally; 0 width
\ylap	reference point at center vertically; 0 height, depth
\zlap	combination \xlap and \ylap
\basezero	to avoid insertion of baselineskip and lineskip glue
\nullhrule	empty \hrule
\nullvrule	empty \vrule
\makestrut[#1;#2]	ad hoc struts; #1=height, #2=depth
\today	today’s date
\SetTime	converts \time to hours, minutes
\now	displays time in hours and minutes
\Now	shows current date and time
\ifPrelimDraft	flag to indicate status as preliminary draft

\rtitlex	<i>TUGboat</i> volume and number info for running head
\midrttitle	information for center of running head
\rtitlenexttopage	next to page number in running head
\HorzR@gisterRule	pieces of registration marks ('trimmarks')
\DownShortR@gisterRule	
\UpShortR@gisterRule	
\ttopregister	top registration line with 'T' in center
\tbotregister	bottom registration line with inverted 'T' in center
\topregister	register actually used
\botregister	
\raggedskip	
\raggedstretch	
\raggedparfill	
\raggedspaces	
\raggedright	
\raggedleft	
\raggedcenter	
\normalspaces	
\raggedbottom	
\bull	square bullet
\cents	'cents' sign
\Dag	superscripted dagger
\careof	c/o
\sfrac	slashed fraction (arguments optionally separated by a slash)
\cs	control sequence name
\meta	\cs{name}→\name
\dash	meta-argument name
\Dash	\meta{name}→⟨name⟩
\hyph	en-dash surrounded by thinspace; only breakable AFTER
\slash	em-dash, as above
\nth	permit automatic hyphenation after an actual hyphen
\tubissue	'breakable' slash
\xEDNote	for obtaining '1 st ', '2 nd ', 3 rd , etc.
\Review:	gets \TUB followed by volume and issue numbers
\reviewitem	Editor's Note:
\revauth	Review: (for title of book review article)
\revtitle	begin data for item being reviewed
\revpubinfo	with one argument, author(s) of item being reviewed
\endreviewitem	with one argument, title of ...
\titleref	with one argument, other info pertaining to ...
	end data for item being reviewed
	one argument, format title as straight text (slanted, frenchspacing)

\Input	\input with some other bookkeeping for case where multiple articles are put together
\TBremark	reminder to <i>TUGboat</i> editorial staff
\TBE-enableRemarks	enable \TBremarks (normally suppressed)
\pagexref	used to write out page numbers to screen and external files
\pagexrefON	
\pagexrefOFF	
\xrefto	used for symbolic cross-reference to other pages in <i>TUGboat</i>
\xreftoON	
\xreftoOFF	
\TBdriver	marks code which only takes effect when articles are run together in a driver file
\signaturemark	items for signatures
\signaturewidth	

3 L^AT_EX 2 _{ε} *TUGboat* class file

3.1 Setup and options

Occasionally we need to do different things when running under traditional (pdf)latex or a native Unicode engine. Since we don't need any fancier distinctions, instead of reading the `iftex` or another package, do the test directly.

```

19 <*common>
20 \newif\ifTBunicodeengine
21 \ifx\Umathchardef\@thisisundefined % not (xetex|luatex)
22   \TBunicodeenginefalse
23 \else
24   \TBunicodeenginetrue
25 \fi
26 </common>
```

Check for reloading. Hmm... Does this happen with L^AT_EX 2 _{ε} classes? Probably, in fact, as well that it doesn't, since the `\tugstyinit` referenced here doesn't exist; however, it's possible that we might need a similar mechanism in the future, so we retain its skeleton, without fleshing out the `\tugstyinit` bones.

```

27 <*tugboatcls>
28 \csname tugstyloaded@\endcsname
29 \def\tugstyloaded@{\tugstyinit\endinput}
```

Acquire a name for this class if we don't already have one (by virtue of having been loaded by `tugproc.cls`). This name will be used in error messages and the like.

```
30 \providecommand{\@tugclass}{\ltugboat}
```

Warnings/error messages/information messages — if we're using L^AT_EX 2 _{ε} we can use the `\Class*` commands:

```

31 \def\TBInfo{\ClassInfo{\@tugclass}}
32 \def\TBError{\ClassError{\@tugclass}}
33 \def\TBWarning{\ClassWarning{\@tugclass}}
34 \def\TBWarningNL{\ClassWarningNoLine{\@tugclass}}
```

Class options: `draft` vs. `preprint` vs. `final`.

```
35 \DeclareOption{draft}{%
36   % If the user loads hyperref, avoid passing on the global draft option
37   % (which would remove all links in the pdf).
38   \PassOptionsToPackage{final}{hyperref}
39   %
40   \AtEndOfClass{%
41     \setcounter{page}{901}%
42     \BlackBoxes
43     \def\MakeRegistrationMarks{}%
44     \PrelimDrafttrue
45   }%
46 }
47
48 \newif\ifpreprint
49 \def\preprint{\preprinttrue} % [preprint], hardly used
50 \DeclareOption{preprint}{%
51   \preprinttrue
52 }
53
54 \newif\iftubfinaloption % [final], manually inserted by us for processing
55 \DeclareOption{final}{%
56   \tubfinaloptiontrue
57   \AtEndOfClass{%
58     % Insert draft date into the header even with [final], if we are not
59     % doing a production run. (tugboat.dates) sets up page numbers
60     % above 900 in such pseudo-draft mode.) We use [final] in the first
61     % place for this case because draft vs. final can change page
62     % layout, wrt registration marks, etc. (Not good, but too painful to
63     % change at this late date.)
64     \ifnum\value{page}>900 \PrelimDrafttrue \else \PrelimDraftfalse \fi
65     \atubrunningfull
66   }%
67 }
```

We want to use `hyperref`'s `\texorpdfstring`, e.g., in the `draft` option above. If `hyperref` is not loaded, define our own trivial fallback to expand to the TeX (first) argument.

Similarly, disable and more if we have `hyperref`, so section titles using them don't cause useless warnings.

```
68 \AtBeginDocument{%
69   \ifx\undefined\texorpdfstring
70     \DeclareRobustCommand{\texorpdfstring}[2]{#1}%
71   \fi
72   %
73   \ifx\undefined\pdfstringdefDisableCommands\else
74     \pdfstringdefDisableCommands{%
75       \let\acro\relax
76       \let\origDash=\Dash \def\Dash{\texorpdfstring{\origDash}{--}}%
77       % lots more could/should be added.
78     }%
79   \fi
80 }
```

TUGboat uses only 10pt for the main text.

```
81 \DeclareOption{11pt}{%
82   \TBUWarning{The \tugclass\space class only supports 10pt fonts:}%
83   \MessageBreak option \CurrentOption\space ignored}%
84 }
85 \DeclareOption{12pt}{\csname ds@11pt\endcsname}
```

Similarly, ignore one/two-side options.

```
86 \DeclareOption{oneside}{\TBUWarning{Option \CurrentOption\space ignored}}
87 \DeclareOption{twoside}{\ds@oneside}
```

There are these people who seem to think `tugproc` is an option rather than a class... (Note that it's already been filtered out if we were calling from `ltugproc`.)

```
88 \DeclareOption{tugproc}{%
89   \TBUWarning{Option \CurrentOption\space ignored: use class ltugproc
90   instead of \tugclass}%
91 }
```

Option `rawcite` (the default) specifies the default citation mechanism (as built-in to L^AT_EX); option `harvardcite` specifies the author-date citation mechanism defined in section 3.24 below.

```
92 \DeclareOption{rawcite}{\let\if@Harvardcite\iffalse}
93 \DeclareOption{harvardcite}{\let\if@Harvardcite\iftrue}
```

Option `extralabel` (the default) specifies that the publication years of two successive references with otherwise identical labels will be tagged with distinguishing letters; option `noextralabel` causes those letters to be suppressed. Note that (a) no two references will in any case have the same labels in the default (plain) `rawcite` setup, and that (b) the distinguishing letters appear in the labels themselves; the reader can work out the correspondence one with the other...

```
94 \DeclareOption{extralabel}{\let\UseExtraLabel@\firstofone}
95 \DeclareOption{noextralabel}{\let\UseExtraLabel@\gobble}
```

The section-numbering style, so that we can allow the same heading layout as in the plain macros.

```
96 \DeclareOption{numbersec}{\let\if@numbersec\iftrue}
97 \DeclareOption{nonumber}{\let\if@numbersec\iffalse}
```

Minimal running headers/footers contain just the *TUGboat* volume/issue identification and page numbers. ‘runningfull’ is the default, and includes title and author. ‘runningoff’ makes both headers and footers empty.

```
98 \DeclareOption{runningoff}{\AtEndOfClass{\tubrunningoff}}
99 \DeclareOption{runningminimal}{\AtEndOfClass{\tubrunningminimal}}
100 \DeclareOption{runningfull}{\AtEndOfClass{\tubrunningfull}}
```

Usually we want to print the doi if [final], else not. But sometimes we want to omit it even if [final], namely when we’re posting a review or other item early.

```
101 \newif\iftubomitdoioption
102 \DeclareOption{omitdoi}{%
103   \tubomitdoioptiontrue
104 }
```

\if@tubtwocolumn Occasionally (tb107jackowski, and past conference preprints), we need the option `onecolumn`. For alternative approaches to one-column articles, see tb92hagen-euler and tb78milo.

```
105 \newif\if@tubtwocolumn \tubtwocolumntrue
106 \DeclareOption{onecolumn}{\tubtwocolumnfalse}
```

\ifsecondcolstart Occasionally, we need to start an article in the second column of a page, due to splicing with a previous article. Let's try declaring that. Then, before `\maketitle`, we'll force the move to the second column.

And sometimes we need to add space at the top of that second column (e.g., tb136lettre); there's no way to intervene in the article source, so define a hook `\tubsecondcolstartextra`.

```
107 \newif\iftubsecondcolstart
108 \DeclareOption{secondcolstart}{\tubsecondcolstarttrue}
109 \let\tubsecondcolstartextra\relax
```

Any other options, we pass on to `article.cls` before we load it:

```
110 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
```

Request default options (draft mode, standard citation, numbered sections, etc.), process all options, and then get the base document class on top of which we reside, namely `article`. Always call `article` with the `twoside` option, since we want the ability to have odd/even headers/footers.

```
111 \ExecuteOptions{draft,extralabel,numbersec,rawcite,runningminimal}
112 \ProcessOptions
113 \LoadClass[twoside]{article}
```

Various fonts used throughout. Some effort has been made to suppress these things with explicit sizes in the macro name (`\tensl` is an example below), but keeping in step with the documentation is one thing that restricts such a move.

```
114 \def\sectitlefont{\fontfamily{sfdefault}\fontseries{bx}\fontshape{n}%
115           \fontsize@\xviipt\stbaselineskip\selectfont}
116 \def\tensl{\fontseries{m}\fontshape{sl}\fontsize@\xpt\xiipt
117           \selectfont}
```

This font selection command is used *only* for the ‘Editor’s Note’ introduction to notes; sadly it makes explicit reference to CMR, and Barbara Beeton has agreed that the reference may be constructed to use the current family such that, if no upright italic is defined, ordinary italics are used. A project for later...

```
118 \ifTBUncodeengine
119   % there is no "LM unslanted" in OpenType, so use the standard cmu
120   % scaled for the current text size. Not worth more effort.
121   \def\EdNoteFont{\font\ednotefont = cmu10 at 1em }
122 \else % traditional engine:
123   \def\EdNoteFont{\fontfamily{cmr}\fontseries{m}\fontshape{ui}\selectfont}
124 \fi
125 
```

If Ulrik Vieth’s `mflogo.sty` is around, we’ll use it. Otherwise (pro tem, at least) we’ll warn the user and define the absolute minimum of machinery that *TUGboat* requires (that which was used prior to the invention of L^AT_EX 2 _{ε}).

```
126 <*common>
```

```

127 \IfFileExists{mflogo.sty}%
128   {\RequirePackage{mflogo}}%
129 {!\itugcomm} {\TBWarning
130 {!\itugcomm} {\PackageWarning{\itugcomm}
131   {Package mflogo.sty not available --\MessageBreak
132     Proceeding to emulate mflogo.sty}
133   \DeclareRobustCommand{\logofamily}{%
134     \not@math@\alpha@lphabet\logofamily\relax
135     \fontencoding{U}\fontfamily{logo}\selectfont}
136   \DeclareTextFontCommand{\textlogo}{\logofamily}
137   \def\MF{\textlogo{META}\-\textlogo{FONT}\@}
138   \def\MP{\textlogo{META}\-\textlogo{POST}\@}
139   \DeclareFontFamily{U}{logo}{}%
140   \DeclareFontShape{U}{logo}{m}{n}{%
141     <8><9>gen*logo%
142     <10><10.95><12><14.4><17.28><20.74><24.88>logo10%
143   }{}%
144   \DeclareFontShape{U}{logo}{m}{sl}{%
145     <8><9>gen*logosl%
146     <10><10.95><12><14.4><17.28><20.74><24.88>logosl10%
147   }{}%
148   \DeclareFontShape{U}{logo}{m}{it}{%
149     <->ssub*logo/m/sl%
150   }{}%
151 }

```

3.2 Resetting at start of paper

`\ResetCommands` We store a set of commands that should be executed at the start of each paper, `\AddToResetCommands` before any paper-specific customisation. These commands (stored in the token `\StartNewPaper` register `\ResetCommands`) include things such as resetting section and footnote numbers, re-establishing default settings of typesetting parameters, and so on. The user (or more typically, editor) may execute the commands by using the command `\StartNewPaper`. Things I've not yet thought of may be added to the list of commands, by

```

152 \newtoks\ResetCommands
153 \ResetCommands{%
154   \setcounter{part}{0}%
155   \setcounter{section}{0}%
156   \setcounter{footnote}{0}%
157   \authornumber\z@
158 }
159 \newcommand{\AddToResetCommands}[1]{%
160   \AddToResetCommands\expandafter{\AddToResetCommands#1}%
161 }

```

3.3 Helpful shorthands (common code with Plain styles)

`\makeescape`, ..., `\makecomment` allow users to change the category code of a single character a little more easily. These require that the character be addressed as a control sequence: e.g., `\makeescape{/}` will make `'/'` an escape character.

```
162 <*!l@tex>
```

```

163 \def\makeescape#1{\catcode`#1=0 }
164 \def\makebgroup#1{\catcode`#1=1 }
165 \def\makeegroup#1{\catcode`#1=2 }
166 \def\makemath #1{\catcode`#1=3 }
167 <!--tex>
168 <--tex>
169 \def\makeescape#1{\catcode`#1=\z@}
170 \def\makebgroup#1{\catcode`#1=@ne}
171 \def\makeegroup#1{\catcode`#1=\tw@}
172 \def\makemath #1{\catcode`#1=thr@@}
173 </tex>
174 \def\makealign #1{\catcode`#1=4 }
175 \def\makeeol #1{\catcode`#1=5 }
176 \def\makeparam #1{\catcode`#1=6 }
177 \def\makesup #1{\catcode`#1=7 }
178 \def\makesub #1{\catcode`#1=8 }
179 \def\makeignore#1{\catcode`#1=9 }
180 \def\makespace #1{\catcode`#1=10 }
181 \def\makeletter#1{\catcode`#1=11 }
182 \chardef\other=12
183 \let\makeother\@makeother
184 \def\makeactive#1{\catcode`#1=13 }
185 \def\makecomment#1{\catcode`#1=14 }

\savecat#1 and \restorecat#1 will save and restore the category of a given
character. These are useful in cases where one doesn't wish to localize the settings
and therefore be required to globally define or set things.

186 \def\savecat#1{%
187   \expandafter\xdef\csname\string#1savedcat\endcsname{\the\catcode`#1}
188 \def\restorecat#1{\catcode`#1=\csname\string#1savedcat\endcsname}
189 <!--tex>\savecat\@%
190 <!--tex>\makeletter\@%

```

\SaveCS#1 and \RestoreCS#1 save and restore ‘meanings’ of control sequences. Again this is useful in cases where one doesn’t want to localize or where global definitions clobber a control sequence which is needed later with its ‘old’ definition.

```

191 \def\SaveCS#1{\expandafter\let\csname saved@@#1\expandafter\endcsname
192   \csname#1\endcsname}
193 \def\RestoreCS#1{\expandafter\let\csname#1\expandafter\endcsname
194   \csname saved@@#1\endcsname}

```

To distinguish between macro files loaded

```

195 \def\plaintubestyle{plain}
196 \def\latextubestyle{latex}

```

Control sequences that were first defined in L^AT_EX 2_E of 1995/06/01 (or later), but which we merrily use. Only define if necessary:

```

197 \providecommand\hb@xt@{\hbox to}
198 \providecommand\textsuperscript[1]{\ensuremath{\m@th
199   ^{\mbox{\scriptsize\sf@size}\z@}}}
200   \selectfont #1}}}

```

(Note that that definition of \textsuperscript isn’t robust, but probably doesn’t need to be... What’s more, it doesn’t appear in the mythical 2.09 version of the package.)

We end up wanting this fairly often, and L^AT_EX removed \line.

```
201 \def\tubline{\hbox to \hsize}
```

3.4 Abbreviations and logos

Font used for the METAFONT logo, etc.

```
202 \DeclareRobustCommand{\AllTeX}{%
203   \texorpdfstring{(\La{kern-.075em})kern-.05emTeX}{(La)TeX}%
204 \def\AMS{American Mathematical Society}
205 \def\AmS{$\mathcal{A}$kern-.1667emlower.5ex\hbox
206   {$\mathcal{M}$}kern-.125em$\mathcal{S}$}%
207 \def\AmSLaTeX{\AmS-\LaTeX}
208 \def\AmSTeX{\AmS-\TeX}
209 \def\ANSI{\acro{ANSI}}
210 \def\API{\acro{API}}
211 \def\ASCII{\acro{ASCII}}
212 \def\aw{\acro{A}kern.04em\raise.115ex\hbox{-}W}%
213 \def\AW{Addisonkern.1em-\penaltyz@\hskipz@skip Wesley}%
214 %
215 % make \BibTeX work in slanted contexts too; it's common in titles, and
216 % especially burdensome to hack in .bib files.
217 \def\Bib{%
218   \ifdim \fontdimen1\font>0pt
219     B{\SMC\SMC IB}%
220   \else
221     B\textsc{ib}%
222   \fi
223 }
224 \def\BibLaTeX{\Bib{kern.02em \LaTeX}}
225 \def\BibTeX{\Bib{kern-.08em \TeX}}
226 % no good way to determine bold font, and we want to lose the kern, too:
227 % (we \let BibTeX to this in maketitle)
228 \def\bfBibTeX{B{\SMC\SMC IB}\TeX}%
229 %
230 \def\BSD{\acro{BSD}}
231 \def\CanT{\textsl{Computers \& Typesetting}}
232 % must not define \CJK, because the CJK package does.
```

We place our \kern after \- so that it disappears if the hyphenation is taken:

```
233 \def\ConTeXt{C\kern-.0333emon\-\kern-.0667emTeX\kern-.0333emt}%
234 \def\CMkIV{\ConTeXt\ \MkIV}
235 \def\Cplusplus{C\plus{}}
236 \def\plusplus{\raisebox{.7ex}{$\scriptstyle_{\scriptstyle++}$}}%
237 % consider rm vs. bold + tb139may-automata.ltx
238 \def\CPU{\acro{CPU}}
239 \def\CSczabbr{\ensuremath{\cal C}\kern-.1667emlower.5ex\hbox{$\scriptstyle_{\scriptstyle\$}$}}%
240 \def\CSS{\acro{CSS}}
241 \def\CTUG{\CSczabbr\kern.05em\acro{TUG}}
242 \def\CSV{\acro{CSV}}
243 \def\CTAN{\acro{CTAN}}
244 \def\DTD{\acro{DTD}}
245 \def\DTK{\acro{DTK}}
246 \def\DVD{\acro{DVD}}
247 \def\DVI{\acro{DVI}}
```

```

248 \def\DVIPDFMx{\acro{DVIPDFM}$x$}
249 \def\DVItovDU{DVItovDU{kern-.12em VDU}}
250 \def\ECMA{\acro{ECMA}}
251 \def\EPS{\acro{EPS}}
252 % no line break at this hyphen please, and try to get a bold \varepsilon.
253 \def\TUBdefaultTeX{\ensuremath{\varepsilon}\mbox{-}\kern-.125em\TeX}%
254 \DeclareRobustCommand{\eTeX}{%
255   \ifx\f@series\bfseries@rm
256     \ifx\boldsymbol\undefined % \boldsymbol is from amsmath; also support bm?
257       \TUBdefaultTeX
258     \else
259       \ensuremath{\boldsymbol{\varepsilon}}\mbox{-}\kern-.125em\TeX
260     \fi
261   \else
262     \TUBdefaultTeX
263   \fi
264 }
265 \DeclareRobustCommand{\ExTeX}{%
266   \ensuremath{\textstyle\varepsilon_{\kern-0.15em\cal X}\kern-0.2em\TeX}%
267 \def\FAQ{\acro{FAQ}}
268 \def\FTP{\acro{FTP}}
269 \def\Ghostscript{Ghost\script}
270 \def\GNU{\acro{GNU}}
271 \def\GUI{\acro{GUI}}
272 \DeclareRobustCommand{\HarfBuzz}{\Harf\discretionary{-}{}{\kern.077em}Buzz}
273 \def\Hawaii{Hawai'i}
274 \def\HTML{\acro{HTML}}
275 \def\HTTP{\acro{HTTP}}
276 \def\iOS{i\acro{OS}}
277 \def\IDE{\acro{IDE}}
278 \def\IEEE{\acro{IEEE}}
279 \def\ISBN{\acro{ISBN}}
280 \def\ISO{\acro{ISO}}
281 \def\ISSN{\acro{ISSN}}
282 \def\JPEG{\acro{JPEG}}
283 \def\JTeX{\leavevmode\hbox{\lower.5ex\hbox{J}}\kern-.18em\TeX}%
284 \def\JoT{\textsf{The Joy of \TeX}}
285 \DeclareRobustCommand{\KOMAScript}{\textsf{K\kern.05em O\kern.05em}%
286   M\kern.05em A\kern.1em\hyph\kern.1em Script}%
287 \def\LAMSTeX{L\raise.42ex\hbox{\kern-.3em
288   $ \m@th $\fontsize\sf@size\z@\selectfont
289   $ \m@th \mathcal{A} $}%
290   \kern-.2em\lower.376ex\hbox{$ \m@th \mathcal{M} $}\kern-.125em
291   {$ \m@th \mathcal{S} $}-\TeX}%
292 % This code
293 % is hacked from its definition of \cs{LaTeX}; it allows slants (for
294 % example) to propagate into the raised (small) 'A':
295 % \begin{macrocode}
296 \DeclareRobustCommand{\La}{%
297   L\kern-.36em
298   {\setbox0\hbox{T}%
299   \vbox to\ht0{\hbox{$ \m@th %
300     \csname S@\f@size\endcsname
301     \fontsize\sf@size\z@
```

```

302                               \math@fontsfalse\selectfont
303
304                               A}%
305                         \vss}%
306 }

```

We started with the intention that we wouldn't redefine `\LaTeX` when we're running under it, so as not to trample on an existing definition. However, this proves less than satisfactory; a single logo may be OK for the run of documents, but for *TUGboat*, we find that something noticeably better is necessary; see section [3.12](#).

```

306 <!latex> \def\LaTeX{\La{kern-.15em}\TeX}
307 \def\LMTX{\acro{LMTX}}
308 \def\LuaHBTEx{\Lua\acro{HB}\-\TeX}%
309 \def\LuaHBLaTeX{\Lua\acro{HB}\-\LaTeX}%
310 \def\LuaLaTeX{\Lua\-\LaTeX}%
311 \def\LuaTeX{\Lua\-\TeX}%
312 \def\luatex{\LuaTeX}%
313 \def\LyX{\kern-.1667em\lower.25em\hbox{Y}\kern-.125em X}%
314 \def\macOS{\mac\acro{OS}}%
315 \def\MacOSX{\Mac\,\acro{OS}\,X}%
316 \def\MathML{\Math\acro{ML}}%
317 \def\Mc{\setbox\TestBox=\hbox{M}\vbox
318   to\ht\TestBox{\hbox{c}\vfil}} % for Robert McGaffey

```

If we're running under $\text{\LaTeX}_2\epsilon$, we use Ulrik Vieth's `mflogo.sty` if it's present. Otherwise, we're using a short extract of Vieth's stuff. Either way, we don't need to specify `\MF` or `\MP`.

```

319 \def\mf{\textsc{Metafont}}
320 \def\MFB{\textsl{The \MF\kern.1em-book}}
321 \def\mkIV{\mk\acro{IV}}
322 \let\TB@\mp\mp
323 \DeclareRobustCommand{\mp}{\ifmmode\TB@\mp\else MetaPost\fi}
324 \def\mtex{T\kern-.1667em\lower.424ex\hbox{^E}\kern-.125em X\O}%
325 %
326 % In order that the \cs{OMEGA} command will switch to using the TS1
327 % variant of the capital Omega character if \texttt{textcomp.sty} is
328 % loaded, we define it in terms of the \cs{textohm} command. Note
329 % that this requires us to interpose a level of indirection, rather
330 % than to use \cs{let}\dots
331 % Revised definition of \cs{NTS} based on that used by Phil Taylor.
332 %
333 % \begin{macrocode}
334 \DeclareRobustCommand{\NTG}{\acro{NTG}}
335 \DeclareRobustCommand{\NTS}{\ensuremath{\mathcal{N}}\mkern-4mu
336   \raisebox{-0.5ex}{$\mathcal{T}$}\mkern-2mu \mathcal{S}}%
337 \DeclareTextSymbol{\textohm}{OT1}{'012}
338 \DeclareTextSymbolDefault{\textohm}{OT1}
339 \newcommand{\OMEGA}{\textohm}
340 \DeclareRobustCommand{\OCP}{\OMEGA\acro{CP}}
341 \DeclareRobustCommand{\OOXML}{\acro{OOXML}}
342 \DeclareRobustCommand{\OTF}{\acro{OTF}}
343 \DeclareRobustCommand{\OTP}{\OMEGA\acro{TP}}
344 \DeclareRobustCommand{\OpTeX}{\Op\kern-.05em\TeX}

```

```

345 \def\Pas{Pascal}
346 \def\pcMF{\leavevmode\raise.5ex\hbox{p\kern-.3\p@ c}MF\@}
347 \def\PCTeX{PC\thinspaceTeX}
348 \def\pcTeX{\leavevmode\raise.5ex\hbox{p\kern-.3\p@ c}\TeX}
349 \def\pdfLaTeX{pdf\`/\`-\LaTeX\% dtk-logos
350 \def\pdflatex{\pdfLatex}
351 \def\pdfTeX{pdf\`/\`-\TeX\% dtk-logos
352 \def\pdftex{\pdfTeX}
353 \def\PDF{\acro{PDF}}
354 \def\PGF{\acro{PGF}}
355 \def\PHP{\acro{PHP}}
356 \def\PiC{P\kern-.12em\lower.5ex\hbox{I}\kern-.075emC\@}
357 \def\PiCTeX{\PiC\kern-.11em\TeX}
358 \def\plain{\texttt{plain}}
359 \def\PNG{\acro{PNG}}
360 \def\POBox{P.\thinspace 0.\`Box }
361 \def\PS{\Post\`-Script}
362 \def\PSTricks{\acro{PST}ricks}
363 \def\RIT{\acro{RIT}}
364 \def\RTF{\acro{RTF}}
365 \def\SC{Steering Committee}
366 \def\SGML{\acro{SGML}}
367 \def\SliTeX{\textrm{S}\kern-.06em\textsc{l}\kern-.035emi\%
368 \kern-.06em\TeX\}}
369 \def\slMF{\textsl{MF}} % should never be used
370 \def\SQL{\acro{SQL}}
371 \def\stTeX{\textsc{st}\kern-0.13em\TeX}
372 \def\STIX{\acro{STIX}}
373 \def\SVG{\acro{SVG}}
374 \def\TANGLE{\texttt{TANGLE}\@}
375 \def\TB{\textsl{The \TeX\`-book}}
376 \def\TIFF{\acro{TIFF}}
377 \def\TP{\textsl{\TeX:\ The Program\@}}
378 \DeclareRobustCommand{\TeX}{T\kern-.1667em\lower.424ex\hbox{E}\kern-.125emX\@}
379 \def\TeXhax{\TeX hax}
380 \def\TeXMaG{\TeX M\kern-.1667em\lower.5ex\hbox{A}\%
381 \kern-.2267emG\@}
382 \def\TeXtures{\textit{Textures}}
383 \let\Textures=\TeXtures
384 \def\TeXworks{\TeX\kern-.07em works}
385 \def\TeXxeT{\TeX\`-\`XeT}
386 \def\TFM{\acro{TFM}}
387 \ifTBunicodeengine
388   \AtBeginDocument{\% in case a different font is loaded
389     % \iffontchar is from e-TeX; safe to use under Unicode engines.
390     \iffontchar\font"1EBF
391       \def\TBecircacute{\char"1EBF }%
392     \else
393       \def\TBecircacute{\^e\llap{\raise 0.5ex\hbox{\{}{}\}}\%
394     \fi
395     \def\Thanh{H\`an\~Th\TBecircacute\~Th\`anh\%}
396   }%
397 \else % non-Unicode engine, use our traditional definition.
398   \def\Thanh{H\`an\~Th\^e\llap{\raise 0.5ex\hbox{\{}{}\}}\~Th\`anh\%}

```

```

399 % We could also go the other direction, and always use the Unicode
400 % character, after:
401 % \ifdefined\DeclareUnicodeCharacter
402 %   \DeclareUnicodeCharacter{1EBF}{\^e\llap{\raise 0.5ex\hbox{\{'}}}}
403 % \fi
404 % but let's make the smaller change.
405 \fi
406 \def\TikZ{Ti\/{\em k}Z}
407 \def\ttn{\textsl{TTN}\@}
408 \def\TTN{\textsl{\TeX{} and TUG News}}
409 \def\TUB{\texttub{TUGboat}}\def\texttub{\textsl} % redefined in some situations
410 \def\TUG{\TeX{} \UG}
411 \def\tug{\acro{TUG}}
412 \def\UG{Users Group}
413 \def\UNIX{\acro{UNIX}}
414 % Don't define \UTF, since other packages use it for Unicode character access.
415 % On the other hand, we want a macro for UTF-8 that doesn't break at the -.
416 \def\tbUTF{\acro{UTF}\futurelet@\nextchar@\tbUTFcheck}
417 \def@\tbUTFcheck{\ifx@\nextchar-
418           \mbox{-}\let\next=\tbgobbledash
419           \else
420             \let\next=\empty
421           \fi\next}
422 \def\tbgobbledash-{}
423 \def\VAX{V\kern-.12em A\kern-.1em X\@}
424 \def\VnTeX{V\kern-.03em n\kern-.02em \TeX}
425 \def\VorTeX{V\kern-2.7\p@lower.5ex\hbox{0\kern-1.4\p@ R}\kern-2.6\p@\TeX}
426 \def\XeT{X\kern-.125em\lower.424ex\hbox{E}\kern-.1667emT\@}
427 \def\XML{\acro{XML}}
428 \def\XMP{\acro{XMP}}
429 \def\WEB{\texttt{WEB}\@}
430 \def\WEAVE{\texttt{WEAVE}\@}
431 \def\WYSIWYG{\acro{WYSIWYG}}
432 \def\YAML{\acro{YAML}}

```

XeTeX requires reflecting the first E, hence we complain if the graphics package is not present. (For plain documents, this can be loaded via `miniltx` or `Eplain`.) Also, at Barbara's suggestion, if the current font is slanted, we rotate by 180 instead of reflecting so there is a better chance to look ok. (The magic values here seem more or less ok for `cmsl` and `cmti`.)

```

433 \def\tubreflect#1{%
434   \@ifundefined{reflectbox}{%
435     \TBError{A graphics package must be loaded to use \string\XeTeX{}%
436       {Load graphicx or graphics.}}%
437   }{%
438     \ifdim \fontdimen1\font>0pt
439       \raise 1.75ex \hbox{\kern.1em\rotatebox{180}{\#1}}\kern-.1em
440     \else
441       \reflectbox{\#1}%
442     \fi
443   }%
444 }
445 \def\tubhideheight#1{\setbox0=\hbox{\#1}\ht0=0pt \dp0=0pt \box0 }
446 \def\XekernbeforeE{-.125em}

```

```

447 \def\XekernafterE{-.1667em}
448 \DeclareRobustCommand{\Xe}{\leavevmode
449   \tubhideheight{\hbox{X}}
450   \setbox0=\hbox{\TeX}\setbox1=\hbox{E}%
451   \ifdim \fontdimen1\font>0pt
452     % XeTeX logo needs tinkering when slanted/italic font.
453     \def\XekernbeforeE{-.11em}%
454     \def\XekernafterE{-.16em}%
455     \dp1=-.17ex
456   \fi
457   \lower\dp0\hbox{\raise\dp1\hbox{\kern\XekernbeforeE\tubreflect{E}}}}%
458   \kern\XekernafterE}}}
459 \def\XeTeX{\Xe\TeX}
460 \def\XeLaTeX{\Xe{\kern.11em \LaTeX}}
461 %
462 \def\XHTML{\acro{XHTML}}
463 \def\XSL{\acro{XSL}}
464 \def\XSLFO{\acro{XSL}\raise.08ex\hbox{-}\acro{FO}}
465 \def\XSLT{\acro{XSLT}}

```

3.5 General typesetting rules

```

466 \newlinechar='^^J
467 \normallineskiplimit=\p@
468 \clubpenalty=10000
469 \widowpenalty=10000
470 \def\NoParIndent{\parindent=\z@}
471 \newdimen\normalparindent
472 \normalparindent=20\p@
473 \def\NormalParIndent{\global\parindent=\normalparindent}
474 \NormalParIndent
475 \def\BlackBoxes{\overfullrule=5\p@}
476 \def\NoBlackBoxes{\overfullrule=\z@}
477 \def\newline{\hskip\z@\plus\pagewd\break}

```

\tubsentence Occasionally, notably after citations that need to come after a sentence-ending period, we want to tell TeX that it's still at the end of a sentence. As in: ... whatever. \cite{foo}\tubsentence This happens when, e.g., the reference applies to more than the final sentence. Also can be needed when \c@ cannot be used because the sentence-ending punctuation itself occurs inside a control sequence that prevents it.

```
478 \def\tubsentence{\spacefactor=3000{} \space\ignorespaces}
```

\tubdots Latin Modern and many other fonts irritatingly make the Unicode ellipsis character (U+2026) a single character's width, typically more squashed together than three period characters. This just looks wrong. It is too painful to try to redefine in general, but provide the normal definition to reset in individual papers with, e.g.: \ifx\tubdots\undefined \else \let\dot\tubdots \let\ldot\tubdots \fi

```

479 \DeclareRobustCommand{\tubdots}{\ifmmode\mathellipsis\else
480   .\kern\fontdimen3\font
481   .\kern\fontdimen3\font
482   .\kern\fontdimen3\font\fi}

```

\allowhyphens Hyphen control: first, we save (via \edef) the hyphenpenalties in \allowhyphens. This allows us to permit hyphens temporarily in things like \netaddresses, which typically occur when \raggedright is set, but which need to be allowed to break at their artificial discretionaries.

```
483 \edef\allowhyphens{\noexpand\hyphenpenalty\the\hyphenpenalty\relax
484   \noexpand\exhyphenpenalty\the\exhyphenpenalty\relax}
485 \def\nohyphens{\hyphenpenalty\@M\exhyphenpenalty\@M}
```

3.6 Utility registers and definitions

We define a few scratch registers (and the like) for transient use; they're all paired: an internal one (\T@st*) and an external one (\Test*).

Comment: Exercise for an idle day: find whether all these are necessary, or whether we can use the L^AT_EX temporaries for some (or all) of the \T@st* ones.

Comment: (bb) All these registers are used in the plain version, `tugboat.sty`.

```
486 \newbox\T@stBox           \newbox\TestBox
487 \newcount\T@stCount       \newcount\TestCount
488 \newdimen\T@stDimen        \newdimen\TestDimen
489 \newif\ifT@stIf            \newif\ifTestIf
```

Control sequence existence test, stolen from T_EXbook exercise 7.7 (note that this provides functionality that in some sense duplicates something within L^AT_EX).

```
490 \def\ifundefined#1{\expandafter\ifx\csname#1\endcsname\relax }
```

L^AT_EX conventions which are also useful here.

```
491 <!*!latex>
492   \let\@@input\input
493   \def\iinput#1{\@@input#1 }
494   \def\@inputcheck{\if\@nextchar\bgroup
495     \expandafter\iinput\else\expandafter\@@input\fi}
496   \def\input{\futurelet\@nextchar\@inputcheck}
497 </!*!latex>
```

Smashes repeated from AMS-T_EX; plain T_EX implements only full \smash.

```
498 \newif\iftop@           \newif\ifbot@
499 \def\topsmash{\top@true\bot@false\smash@}
500 \def\botsmash{\top@false\bot@true\smash@}
501 \def\smash{\top@true\bot@true\smash@}
502 \def\smash{\relax\ifmmode\def\next{\mathpalette\mathsmash@\sh}%
503   \else\let\next\makesmash@\fi \next }
504 \def\finsmash{\iftop@\ht\z@\z@\fi\ifbot@\dp\z@\z@\fi\box\z@}
```

Vertical ‘laps’; cf. \llap and \rlap

```
505 \long\def\ulap#1{\vbox to \z@{\vss#1}}
506 \long\def\dlap#1{\vbox to \z@{\#1\vss}}
```

And centered horizontal and vertical ‘laps’

```
507 \def\xlap#1{\hb@xt@z@{\hss#1\hss}}
508 \long\def\ylap#1{\vbox to \z@{\vss#1\vss}}
509 \long\def\zlap#1{\ylap{\xlap{#1}}}
```

Avoid unwanted vertical glue when making up pages.

```
510 \def\basezero{\baselineskip\z@skip \lineskip\z@skip}
```

Empty rules for special occasions

```
511 \def\nullhrule{\hrule \@height\z@ \@depth\z@ \@width\z@ }
512 \def\nullvrule{\vrule \@height\z@ \@depth\z@ \@width\z@ }
```

Support ad-hoc strut construction.

```
513 \def\makestrut[#1;#2]{\vrule \@height#1 \@depth#2 \@width\z@ }
```

Construct box for figure pasteup, etc.; height = #1, width = #2, rule thickness = #3

```
514 \def\drawoutlinebox[#1;#2;#3]{\T@stDimen=#3
515     \vbox to#1{\hrule \@height\T@stDimen \@depth\z@
516             \vss\hb@xt@#2{\vrule \@width\T@stDimen
517                 \hfil\makestrut[#1;\z@]%
518                 \vrule \@width\T@stDimen}\vss
519             \hrule \@height\T@stDimen \@depth\z@}}
```

Today's date, to be printed on drafts. Based on *TeXbook*, p.406.

```
520 <!*!latex>
521 \def\today{\number\day\space \ifcase\month\or
522     Jan \or Feb \or Mar \or Apr \or May \or Jun \or
523     Jul \or Aug \or Sep \or Oct \or Nov \or Dec \fi
524     \number\year}
525 </!*!latex>
```

Current time; this may be system dependent!

```
526 \newcount\hours
527 \newcount\minutes
528 \def\SetTime{\hours=\time
529     \global\divide\hours by 60
530     \minutes=\hours
531     \multiply\minutes by 60
532     \advance\minutes by-\time
533     \global\multiply\minutes by-1 }
534 \SetTime
535 \def\now{\ifnum\hours<10 0\fi\number\hours:\
536     \ifnum\minutes<10 0\fi\number\minutes}
537 \def\Now{\today\ \now}
538 \newif\ifPrelimDraft % true if ([draft] or [preprint] or pageno>900)
539 \def\midrttitle{} % center of running heads
540 \def\rtitlenexttopage{\ifPrelimDraft \textsl{\small draft: \Now}\fi}
541 \% \def\rtitlenexttopage{\ifnum\value{page}>900 \textsl{\small draft: \Now}\fi}
```

Sometimes we want to refer to the pages of another article in the same issue. *tugboat.dates* makes the real definition; here we define a placeholder so it won't be undefined when we send the source back to the author.

```
542 \let>thisissuepageref\empty
```

3.7 Ragged right and friends

\raggedskip Plain *TeX*'s definition of \raggedright doesn't permit any stretch, and results in \raggedstretch too many overfull boxes. We also turn off hyphenation. This code lies somewhere \raggedparfill between that of Plain *TeX* and of L^AT_EX.

```
\raggedspaces
```

```

543 \newdimen\raggedskip    \raggedskip=\z@  

544 \newdimen\raggedstretch \raggedstretch=5em    % ems of font set now (10pt)  

545 \newskip\raggedparfill  \raggedparfill=\z@\@plus 1fil  

546 \def\raggedspaces{\spaceskip=.3333em \relax \xspaceskip=.5em \relax }  

  

\raggedright Some applications may have to add stretch, in order to avoid all overfull boxes.  

\raggedleft We define the following uses of the above skips, etc.  

\raggedcenter 547 \def\raggedright{%
\normalspaces 548   \nohyphens \raggedspaces
549   \rightskip=\raggedskip\@plus\raggedstretch
550   \parfillskip=\raggedparfill
551 }
552 \def\raggedleft{%
553   \nohyphens \raggedspaces
554   \leftskip=\raggedskip\@plus\raggedstretch
555   \parfillskip=\z@skip
556   \let\\ \@centercr % else tabulararray fails,
557           % https://github.com/lvjr/tabulararray/issues/348
558 }
559 \def\raggedcenter{%
560   \nohyphens \raggedspaces
561   \leftskip=\raggedskip\@plus\raggedstretch
562   \rightskip=\leftskip
563   \parindent=\z@
564   \parfillskip=\z@skip
565 }
566 %
567 % Undo |\raggedspaces|.
568 \def\normalspaces{\spaceskip\z@skip \xspaceskip\z@skip}  

  

\tubjustifiedpar Undo the \raggedright (or other such) settings, restoring normality.  

569 \def\tubjustifiedpar{\rightskip=0pt \parfillskip=0pt plus1fil
570           \allowhyphens \normalspaces}

```

3.8 Assorted user-level markup

We provide a new definition of `~` by redefining `\` (`\DeclareRobustCommand` doesn't mind redefinition, fortunately). This is based on the version in AMS-T_EX—the L^AT_EX 2_E version (`ltspace.dtx`) has `\leavevmode` and does not do anything with the surrounding space(s). Our version messes up with the `\pfill` used in doc-generated indexes (github.com/latex3/latex2e/issues/75), but later (2018++) versions of doc should protect against our redefinition.

```

571 \let\latexpnobreakspace=\nobreakspace
572 \DeclareRobustCommand{\nobreakspace}{\unskip\nobreak\ \ignorespaces}

```

Plain T_EX defines `\newbox` as `\outer`. We solemnly preserve the following, which removes the `\outerness`; of course, we carefully exclude it from what we generate... (`\outerness` is a spawn of the devil, is it not? Barbara Beeton responded to the previous sentence “`\outerness` has its place: it avoids register buildup, hence running out of memory”. In another context, David Carlisle remarked that an error control mechanism that causes more confusing errors than it prevents is rather a poor one. This is perhaps not the place to conduct a serious debate...)

```

573 \def\boxcs#1{\box\csname#1\endcsname}
574 \def\setboxcs#1{\setbox\csname#1\endcsname}
575 \def\newboxcs#1{\expandafter\newbox\csname#1\endcsname}
576 \let\gobble\@gobble
577 \def\ellipsis{%
578   \leavevmode\kern0.5em
579   \raise\p@\vbox{\baselineskip6\p@\vskip7\p@\hbox{.}\hbox{.}\hbox{.}}
580 }
581 \def\bull{\vrule \height 1ex \width .8ex \depth -.2ex }
582 \def\cents{{\rm raise.2ex\rlap{\kern.05em$scriptstyle/$}c}}
583 \def\careof{\leavevmode\hbox{\raise.75ex\hbox{c}\kern-.15em
584           \kern-.125em\smash{\lower.3ex\hbox{o}}}\ignorespaces}
585 \def\Dag{\raise .6ex\hbox{$scriptstyle\dagger$}}
586 %
587 \DeclareRobustCommand{\sfrac}[1]{\ifnextchar/{\@sfrac{#1}}{%
588   {\@sfrac{#1}/}}}
589 \def\@sfrac#1/#2{\leavevmode\kern.1em\raise.5ex
590   \hbox{$m@th\mbox{\fontsize\sf@size\z@%
591           \selectfont#1$}\kern-.1em
592           \kern-.15em\lower.25ex
593           \hbox{$m@th\mbox{\fontsize\sf@size\z@%
594           \selectfont#2$}}}
595 %
596 % don't stay bold in description items, bold italic is too weird.
597 \DeclareRobustCommand\meta[1]{%
598   \ensuremath{\langle}%
599   \ifmmode \expandafter\mbox \fi % if in math
600   {\it #1\}/% no typewriter italics, please
601   \ensuremath{\rangle}%
602 }
603 %
604 % Use \tt rather than \texttt because italic typewriter is just too strange
605 % and upright works well enough in both italic and bold contexts.
606 % Would be nice to change catcode of _ for \TeX3, but we don't.
607 %
608 % By the way, it would be possible to substitute typewriter slanted for
609 % typewriter italic in general:
610 % \url{https://tex.stackexchange.com/questions/692277}.
611 % But it feels like that is too intrusive a change, even though in
612 % practice we always prefer tt slanted.
613 \DeclareRobustCommand{\cs}[1]{\texorpdfstring
614   {{\tt \char'\\#1}}%
615   {\textbackslash#1}%
616 }
617 %
618 % This command was defined much later than the others around here, so
619 % let's not conflict with any existing definitions that might be out there.
620 % Don't allow hyphenations or other line breaks.
621 \DeclareRobustCommand{\tubbraced}[1]{\texorpdfstring
622   {\mbox{\texttt{\char'\\#1\char'\\}}}}%
623   {\textbraceleft#1\textbraceright}%
624 }
625 %
626 % Literal text, such as class names, package names, filenames, etc,

```

```

627 % Trying to define separate commands for each seems impossible and pointless.
628 % Usually we don't want hyphenation or any other kind of break.
629 \DeclareRobustCommand{\tbcodes}[1]{\mbox{\texttt{#1}}}
630 %
631 % On the other hand, sometimes we need to break such code fragments.
632 % If |hyperref| is loaded, we want |\nolinkurl|, else just |\url|.
633 \AtBeginDocument{%
634   \ifx\nolinkurl\undefined
635     \DeclareRobustCommand{\tbcodesbreak}{\url}
636   \else
637     \DeclareRobustCommand{\tbcodesbreak}{\nolinkurl}
638   \fi
639 }
640 %
641 % Not sure why we ever want this instead of LaTeX's \, (using \kern),
642 % but fine, just keeping it.
643 \DeclareRobustCommand{\thinspace}{\hspace{0.16667em}\relax}
644 %
645 % Ah, urls. Nowadays, we like the visible url to not have any protocol,
646 % if it is \texttt{http://} or \texttt{https://}. But we need to include
647 % the protocol if we are making live links, since a string like
648 % \texttt{tug.org/whatever} will be taken as a local filename by
649 % browsers and PDF readers. Since we need to check for
650 % \texttt{hyperref}, make the definition \cs{AtBeginDocument}. In the
651 % end, \cs{tbsurl}\tubbraced{foo} produces \texttt{https://foo} and
652 % \cs{tbhurl}\tubbraced{foo} produces \texttt{http://foo}.
653 \AtBeginDocument{%
654   \ifx\hyper@normalise\undefined
655     \ifx\url\undefined % make sure \url is defined
656       \def\url{\begingroup % might as well catch common special chars
657         \catcode`\#=12 \catcode`\$=12 \catcode`\%=12 \catcode`\^=12
658         \catcode`\&=12 \catcode`\_=12 \catcode`\~=12
659         \finish@tub@url}
660       \def\finish@tub@url#1{\tt #1\endgroup}
661     \fi
662     \let\tburl\url % no hyperref, so just \url is fine;
663     \let\tbsurl\url % \let instead of \def so we can still
664     \let\tbhurl\url % use \def\url{\tbsurl} without infloop.
665   \else
666     % This hyperref hook-in is due to Ulrike Fischer.
667     % \url{https://github.com/latex3/hyperref/issues/125}.
668     % \tb[sh]url@ are defined next.
669     \DeclareRobustCommand*\tburl{\tbsurl}%
670     \DeclareRobustCommand*\tbsurl{\hyper@normalise\tbsurl@}%
671     \DeclareRobustCommand*\tbhurl{\hyper@normalise\tbhurl@}
672   \fi
673 }
674 %
675 % Outside \AtBeginDocument, back at the top level of the dtx, we
676 % turn on expl syntax for the main definitions of \tb[sh]url. We want
677 % to auto-remove an explicit protocol in case it
678 % was given.
679 %
680 % Only the correct protocol is removed; if \verb|http://| is

```

```

681 % given to \cs{tbsurl}, it is used (and printed) as-is. This is useful
682 % so we can do \verb|\let\url\tbsurl| when printing bibliographies.
683 %
684 % Giving \verb|https://| to \cs{tbhurl}, on the other hand, generates an
685 % invalid link; in practice there's no use for that so we don't bother
686 % to check for it.
687 %
688 \ExplSyntaxOn
689 \def\tbsurl@#1 % https
690 {
691   \str_set:Nn\l_tmpa_str{#1}
692   \str_if_in:NnTF \l_tmpa_str {http://}
693   {
694     \tbhurl@{#1} % if http, redirect to remove protocol
695     % this version prints the http, as we originally thought was better.
696     % \expandafter\hyper@linkurl
697     % \expandafter{\expandafter\Hurl\expandafter{\l_tmpa_str}}{\l_tmpa_str}
698   }
699   {
700     \str_remove_once:Nn \l_tmpa_str {https://}
701     \expandafter\hyper@linkurl
702       \expandafter{\expandafter\Hurl\expandafter{\l_tmpa_str}}
703                                         {https://\l_tmpa_str}
704   }
705 }
706 \def\tbhurl@#1 % http
707 {
708   \str_set:Nn\l_tmpa_str{#1}
709   \str_remove_once:Nn \l_tmpa_str {http://}
710   \expandafter\hyper@linkurl\expandafter{\expandafter\Hurl\expandafter
711                                         {\l_tmpa_str}}{http://\l_tmpa_str}
712 }
713 \ExplSyntaxOff
714 %
715 % Now let's use those macros for putting a url into a simple
716 % ragged-right footnote.
717 \def\tburlfootnote{\tbsurlfootnote}
718 \def\tbsurlfootnote#1{\footnote{\raggedright\tbsurl{#1}}}
719 \def\tbhurlfootnote#1{\footnote{\raggedright\tbhurl{#1}}}
720 %
721 % Close up space between footnote mark and punctuation (''pre-punctuation'').
722 \DeclareRobustCommand{\tbppkernfoot}{\tubthinspace}
723 %
724 % Make \! work in text mode, for older LaTeX.
725 \DeclareRobustCommand{\!}{\ifmmode\mskip-\thinmuskip \else\kern-0.16667em \fi}
726 %
727 % Half a thinspace, positive and negative. Should have named these
728 % \cs{tb} instead of \cs{tub}, but not worth changing now.
729 \DeclareRobustCommand{\tubthinspace}
730   {\ifmmode\mskip.5\thinmuskip \else\kern0.08333em \fi}
731 \DeclareRobustCommand{\tubthinspaceneg}
732   {\ifmmode\mskip-.5\thinmuskip \else\kern-0.08333em \fi}
733 %
734 % Half a smallskip.

```

```

735 \DeclareRobustCommand{\tubsmallerskip}
736   {\vskip 1.5pt plus .75pt minus .75pt\relax}
737 %

```

We play a merry game with dashes, providing all conceivable options of breakability before and after.

```

738 \def\endash{--}
739 \def\emdash{\endash-}
740 \def\dash{\d@sh#1#2{\unskip#1\thinspace#2\thinspace\ignorespaces}}
741 \def\dash{\d@sh\nobreak\endash}
742 \def\Dash{\d@sh\nobreak\emdash}
743 \def\ldash{\d@sh\empty{\hbox{\endash}\nobreak}}
744 \def\rdash{\d@sh\nobreak\endash}
745 \def\Ldash{\d@sh\empty{\hbox{\emdash}\nobreak}}
746 \def\Rdash{\d@sh\nobreak\emdash}

```

Hacks to permit automatic hyphenation after an actual hyphen, or after a slash.

```

747 \def\hyph{-\penalty\z@\hskip\z@skip }
748 \def\slash{/\penalty\z@\hskip\z@skip }

```

Adapted from `comp.text.tex` posting by Donald Arseneau, 26 May 93.
 \LaTeX 2 _{ϵ} -isation added by Robin Fairbairns. Destroys both the `TestCounts`.

```

749 \def\nth#1{%
750   \def\reserved@a##1##2\@nil{\ifcat##1n%
751     %
752     \let\reserved@b\ensuremath
753     \else##1##2%
754     \let\reserved@b\relax
755     \fi}%
756   \TestCount=\reserved@a#1\@nil\relax
757   \ifnum\TestCount <0 \multiply\TestCount by\m@ne \fi % subdue negatives
758   \T@stCount=\TestCount
759   \divide\T@stCount by 100 \multiply\T@stCount by 100
760   \advance\T@stCount by-\T@stCount      % n mod 100
761   \ifnum\T@stCount >20 \T@stCount=\TestCount
762     \divide\T@stCount by 10 \multiply\T@stCount by 10
763     \advance\T@stCount by-\T@stCount      % n mod 10
764   \fi
765   \reserved@b{#1}%
766   \textsuperscript{\ifcase\TestCount th%    0th
767     \or st%                                1st
768     \or nd%                               2nd
769     \or rd%                               3rd
770     \else th%                            nth
771     \fi}%
772 }

```

3.9 Reviews

Format information on reviewed items for book review articles. For the \LaTeX 2 _{ϵ} version, we follow Fairbairns' maxim, and define something that can even look like a \LaTeX macro...

```

773 \def\Review{\@ifnextchar:{\@Review}{\@Review:}}
774 \def\@Review:{\@ifnextchar[%]
775   {\@Rev}%
776   {\@Rev[Book review]}}
777 \def\@Rev[#1]#2{ {\ignorespaces#1\unskip:\enspace\ignorespaces
778                           \slshape\mdseries#2} }
779 \def\reviewitem{\addvspace{\BelowTitleSkip}%
780   \def\revauth##1{\def\therevauth{##1,\ }\ignorespaces}%
781   \def\revtitle##1{\def\therevtitle{\{\slshape##1\}. }\ignorespaces}%
782   \def\revpubinfo##1{\def\therevpubinfo{##1.\ }\ignorespaces}%
783 }%
784 \def\endreviewitem{{\noindent\interlinepenalty=10000
785   \therevauth\therevtitle\therevpubinfo\endgraf}%
786   \vskip\medskipamount
787 }%
788 \def\titleref#1{\{\slshape\frenchspacing#1\nocorr\}}
789 \let\booktitle=\titleref % older name

```

3.10 Dates, volume and issue numbers, etc.

Dates and other items which identify the volume and issue. `\issueseqno` is a sequential issue number starting from the first issue published; volume 15,4 has `\issueseqno=45`.

```

    \vol 19, 1.
To use: \issdate March 1998.
         \issueseqno=58

```

Starting with volume 23 (nominal 2002), we have `\issyear` instead of `\issdate`, because issues don't have months any more.

For production, these are set in a separate file, `tugboat.dates`, which is issue-specific.

```

790 \newcount\issueseqno \issueseqno=-1
791 \def\v@lx{\gdef\volx{Volume~\volno~(\volyr), No.~\issno}}
792 \def\volyr{}
793 \def\volno{}
794 \def\vol#1, #2.{%
795   \gdef\volno{\#1}%
796   \gdef\issno{\#2}%
797   \setbox\TestBox=\hbox{\volyr}%
798   \ifdim \wd\TestBox > .2em \v@lx \fi }
799 \def\issyear#1.{%
800   \gdef\issdt{\#1}\gdef\volyr{\#1}%
801   \gdef\bigissdt{\#1}%
802   \setbox\TestBox=\hbox{\volno}%
803   \ifdim \wd\TestBox > .2em \v@lx \fi }
804 \def\issdate#1#2 #3.{%
805   \gdef\issdt{\#1#2 #3}\gdef\volyr{\#3}%
806   \gdef\bigissdt{\#1{\smc\uppercase{\#2}} #3}%
807   \setbox\TestBox=\hbox{\volno}%
808   \ifdim \wd\TestBox > .2em \v@lx \fi }
809 % The \vol command must be invoked precisely like this, including spaces.
810 % Since we are the only ones who write it, we can be strict.
811 \vol 0, 0.
812 \issdate Thermidor, 9999.

```

(The curious may like to know that *Thermidor* was one of the French revolutionary month names.)

For L^AT_EX use, define a version of the issue declaration that can take or leave the old plain syntax

```

813 <!/latex> \def\tubissue#1(#2)%
814 <*latex>
815 \def\tubissue#1{\@ifnextchar(%)
816   {\@tubissue@b{#1}}
817   {\@tubissue@a{#1}}}
818 \def\@tubissue@b#1(#2){\@tubissue@a{#1}{#2}}
819 \def\@tubissue@a#1#2%
820 </latex>
821 {\TUB`#1, no.^#2}

```

TUGboat conventions include the sequential issue number in the file name. Permit this to be incorporated into file names automatically. If issue number = 11, `\Input filnam` will read `tb11filnam.tex`

```

822 \def\infil@{\jobname}
823 \def\Input #1 {\ifnum\issueseqno<0
824   \def\infil@{#1}%
825 \else
826   \def\infil@{tb\number\issueseqno#1}
827 \fi
828 \edef\jobname{\infil@}\@readFLN
829 \@@input \infil@\relax
830 \if@RMKopen
831   \immediate\closeout\@TBremarkfile\@RMKopenfalse
832 \fi
833 }

```

`\TBremarks` are things that need to be drawn to the attention of the editors; the conscientious author will include such things in the article file. By default, remarks are suppressed, but their appearance may be enabled by the `\TBEnableRemarks` command, which can be included in the configuration file `ltugboat.cfg` (or `ltugproc.cfg`, if that's what we're at).

```

834 \newif\if@RMKopen \@RMKopenfalse
835 \newwrite\@TBremarkfile
836 \def\@TBremark#1{%
837   \if@RMKopen
838   \else
839     \if@RMKopentrue\immediate\openout\@TBremarkfile=\infil@.rmk
840   \fi
841   \toks@={#1}%
842   \immediate\write\@TBremarkfile{^J\the\toks@}%
843   \immediate\write16{^J\TBremark:: \the\toks@^J}%
844 }

```

We initialise `\TBremark` to ignore its argument (this used to involve a `\TBremarkOFF` which was cunningly defined exactly the same as `\gobble`)

```

845 \let\TBremark=\gobble
\TBEnableRemarks simply involves setting \TBremark to use the functional
\@TBremark defined above.
846 \def\TBEnableRemarks{\let\TBremark\@TBremark}

```

For marking locations in articles that pertain to remarks in another file of editorial comments

```
847 \def\TUBedit#1{}
```

For using different filenames in the production process than those supplied by authors

```
848 \def\TUBfilename#1#2{\expandafter\def\csname file@@#1\endcsname{#2}}
849 \newread\@altfilenames
850 \def\@readFLN{\immediate\openin\@altfilenames=\jobname.fln
851   \ifeof\@altfilenames\let\@result\relax\else
852   \def\@result{\@@input\jobname.fln }\fi
853   \immediate\closein\@altfilenames
854   \@result}
855 \@readFLN
856 \everyjob=\expandafter{\the\everyjob\@readFLN}
857 \InputIfFileExists{\jobname.fln}{%
858   {\TBInfo{Reading alternative file \jobname.fln}}%
859   {}}
```

The following needs to work entirely in TeX's mouth

```
860 \def\@tubfilename#1{\expandafter\ifx\csname file@@#1\endcsname\relax
861   #1\else\csname file@@#1\endcsname\fi}
862 \def\fileinput#1{\@input\@tubfilename{#1} }
```

Write out (both to a file and to the log) the starting page number of an article, to be used for cross references and in contents. `\pageref` is used for articles fully processed in the *TUGboat* run. `\PageXref` is used for ‘extra’ pages, where an item is submitted as camera copy, and only running heads (at most) are run.

```
863 <*!l@tex>
864 \def\pagerefON#1{%
865   \write-1{\def\expandafter\noexpand\csname#1\endcsname{\number\pageno}}%
866   \write\ppoutfile{%
867     \def\expandafter\noexpand\csname#1\endcsname{\number\pageno}}%
868   }
869 \def\PageXrefON#1{%
870   \immediate\write-1{\def\expandafter
871     \noexpand\csname#1\endcsname{\number\pageno}}%
872   \immediate\write\ppoutfile{%
873     \def\expandafter\noexpand\csname#1\endcsname{\number\pageno}}}
874 </!*!l@tex>
875 <*l@tex>
876 \def\pagerefON#1{%
877   \write-1{\def\expandafter\noexpand\csname#1\endcsname{\number\c@page}}%
878   \write\ppoutfile{%
879     \def\expandafter\noexpand\csname#1\endcsname{\number\c@page}}%
880   }
881 \def\PageXrefON#1{%
882   \immediate\write-1{\def\expandafter
883     \noexpand\csname#1\endcsname{\number\c@page}}%
884   \immediate\write\ppoutfile{%
885     \def\expandafter\noexpand\csname#1\endcsname{\number\c@page}}}
886 </l@tex>
887 \def\pagerefOFF#1{}
888 \let\pageref=\pagerefOFF
```

```

889 \def\PageXrefOFF#1{}
890 \let\PageXref=\PageXrefOFF
891 \def\xreftoON#1{%
892   \ifundefined{#1}%
893     ???\TBremark{Need cross reference for #1.}%
894   \else\csname#1\endcsname\fi}
895 \def\xreftoOFF#1{???}
896 \let\xrefto=\xreftoOFF

```

\TBdriver ‘marks code for use when articles are run together in a driver file’. Since we don’t yet have a definition of that arrangement, we don’t have a definition of \TBdriver. Its argument (which one presumes was intended as the code for this unusual state) is just gobbled.

```
897 \let\TBdriver\gobble
```

Hyphenation exceptions. We read our own full `ushyphex.tex` (generated from `tb0hyf.tex`) if it’s available. The additional exceptions are nearly all included in the file, but keep defining them anyway, since we have for many years.

But do not define any exceptions if `\tubomithyphenations` is defined. This is needed for the `hyf` articles themselves.

```

898 \ifx\tubomithyphenations\@thisisundefined
899 \InputIfFileExists{ushyphex.tex}{}{} % ok if it's missing
900 \hyphenation{Del-a-ware Dijk-stra Duane Eijk-hout
901   Flor-i-da Free-BSD Ghost-script
902   Hara-lam-bous Jac-kow-ski Ja-pa-nese Karls-ruhe Lua-Meta
903   Mac-OS Math-Sci-Net
904   Net-BSD Open-BSD Open-Office
905   Pak-i-stan Post-Script Richard Skoup South-all
906   Vieth VM-ware Win-Edt
907   acro-nym acro-nyms analy-sis ap-pen-di-ces ap-pen-dix asyn-chro-nous
908   bib-lio-graph-i-cal bit-map bit-mapped bit-maps buf-fer buf-fers bool-ean
909   col-umns com-put-able com-put-abil-ity
910   data-base data-bases
911   de-allo-cate de-allo-cates de-allo-cated de-allo-ca-tion
912   de-riv-a-tive de-riv-a-tives de-riv-a-ble der-i-va-tion dis-trib-ut-able
913   es-sence
914   fall-ing
915   half-way
916   in-fra-struc-ture
917   key-note
918   long-est
919   ma-gyar man-u-script man-u-scripts meta-table meta-tables
920   mne-mon-ic mne-mon-ics mono-space mono-spaced
921   name-space name-spaces
922   off-line over-view
923   pal-ettes par-a-digm par-a-dig-matic par-a-digms
924   pipe-line pipe-lines
925   plug-in plug-ins pres-ent-ly pro-gram-mable
926   re-allo-cate re-allo-cates re-allo-cated re-printed
927   set-ups se-ver-e-ly spell-ing spell-ings stand-alone strong-est
928   sub-ex-pres-sion sub-tables sur-gery syn-chro-ni-city syn-chro-nous
929   text-height text-length text-width
930   time-stamp time-stamped time-stamps
931   vis-ual vis-ual-ly

```

```

932   which-ever white-space white-spaces wide-spread wrap-around
933 }
934 \fi
935 {!!\@restorecat\@}
936 {/common}
937 {*\@clastail}
938 \PrelimDrafttrue

```

3.11 Page dimensions, glue, penalties, etc.

```

939 \textheight 54pc      % 648pt = 645.58bp = 8.97in
940 \textwidth 39pc       % 468pt = 466.25bp = 6.48in
941 \columnsep 1.5pc     % 18pt = 17.93bp = .249in
942 \columnwidth 18.75pc % 225pt = 224.16bp = 3.11in
943 \hfuzz 1pt
944 \parindent \normalparindent % 20pt
945 \parskip \z@ % \z@plus\p@
946 \leftmargini 2em
947 \leftmarginv .5em
948 \leftmarginvi .5em
949 \oddsidemargin \z@
950 \evensidemargin \z@
951 \topmargin -2.5pc % 30pt = 29.89bp = .415in
952 \headheight 12\p@
953 \headsep 20\p@
954 \marginparwidth 48\p@
955 \marginparsep 10\p@
956 \partopsep=\z@
957 \topsep=3\p@\z@plus\p@\z@minus\p@
958 \parsep=3\p@\z@plus\p@\z@minus\p@
959 \itemsep=\parsep
960 %
961 % The width of one column plus gutter (=243pt =242.09bp) is useful sometimes.
962 \newdimen\tubcolwidthandgutter
963   \tubcolwidthandgutter=\columnwidth
964   \advance\tubcolwidthandgutter by \columnsep
965 %
966 % Ordinarily we typeset in two columns, but the onecolumn option
967 % goes to one. In which case we want to center the text block on an
968 % 8.5in width, given the default 72.27pt offset with margins of zero.
969 % We are always in LaTeX's twoside mode because of how we load article,
970 % and this is a good thing, since we want different headings.
971 \if@tubtwocolumn \twocolumn \else
972   \onecolumn
973   \textwidth=34pc
974   \oddsidemargin=30.8775pt
975   \evensidemargin=\oddsidemargin
976 \fi
977 %
978 \newdimen\pagewd          \pagewd=\textwidth
979 \newdimen\trimwd          \trimwd=\pagewd
980 \newdimen\trimlgt         \trimlgt=11in
981 \newdimen\headmargin      \headmargin=3.5pc

```

Don't go to a float page so soon. Not all of these are relevant to all articles, but we may as well set them all.

```
982 \renewcommand{\topfraction}{.9} % don't go to a float page so soon
983 \renewcommand{\dbltopfraction}{.9}
984 \renewcommand{\bottomfraction}{.7}
985 \renewcommand{\textfraction}{.1}
986 \renewcommand{\floatpagefraction}{.8}
987 \renewcommand{\dblfloatpagefraction}{.8} % the most common one used
```

3.12 Messing about with the L^AT_EX logo

Barbara Beeton's pleas for L^AT_EX logos that look right in any font shape provoked me to generate the following stuff that is configurable.

Here's the command for the user to define a new version. The arguments are font family, series and shape, and then the two kern values used in placing the raised 'A' of L^AT_EX.

```
988 \newcommand{\DeclareLaTeXLogo}[5]{\expandafter\def
989   \csname @LaTeX@#1/#2/#3\endcsname{{#4}{#5}}}
```

The default values are as used in the source of L^AT_EX itself:

```
990 \def\@LaTeX@default{{.36}{.15}}
```

More are defined in the initial version, for bold CM sans (which is used as \SecTitleFont), and CM italic medium and bold, and Bitstream Charter (which Nelson Beebe likes to use). Duplicate for Latin Modern.

```
991 \DeclareLaTeXLogo{cmss}{bx}{n}{.3}{.15}
992 \DeclareLaTeXLogo{lmss}{bx}{n}{.3}{.15}
993 %
994 \DeclareLaTeXLogo{cmr}{m}{it}{.29}{.2}
995 \DeclareLaTeXLogo{lmr}{m}{it}{.29}{.2}
996 %
997 \DeclareLaTeXLogo{cmr}{m}{sl}{.29}{.15}
998 \DeclareLaTeXLogo{lmr}{m}{sl}{.29}{.15}
999 %
1000 \DeclareLaTeXLogo{cmr}{bx}{it}{.29}{.2}
1001 \DeclareLaTeXLogo{lmr}{bx}{it}{.29}{.2}
1002 %
1003 \DeclareLaTeXLogo{cmr}{bx}{sl}{.29}{.2}
1004 \DeclareLaTeXLogo{lmr}{bx}{sl}{.29}{.2}
1005 %
1006 \DeclareLaTeXLogo{bch}{m}{n}{.2}{.08}
1007 \DeclareLaTeXLogo{bch}{m}{it}{.2}{.08}
```

Redefine \LaTeX to choose the parameters for the current font, or to use the default value otherwise:

```
1008 \ DeclareRobustCommand{\LaTeX}{\expandafter\let\expandafter\reserved@a
1009   \csname @LaTeX@\f@family/\f@series/\f@shape\endcsname
1010   \ifx\reserved@a\relax\let\reserved@a\@LaTeX@default\fi
1011   \expandafter\@LaTeX\reserved@a}
```

Here's the body of what was originally \LaTeX, pulled out with its roots dripping onto the smoking ruin of original L^AT_EX, and then bits stuck in on the side.

\@LaTeX@default provides parameters as one finds in the original; other versions are added as needed.

```

1012 \newcommand{\@LaTeX}[2]{%
1013   \%wlog{latex logo family=\f@family/\f@series/\f@shape -> #1, #2.}%
1014   L\kern-#1em
1015   {\sbox\z@\kern-#1em\unbox\z@ T%
1016     \vbox to\ht0{\hbox{$\m@th$%
1017       \csname S@\f@size\endcsname
1018       \fontsize\sf@size\z@
1019       \math@fontsfalse\selectfont
1020       A}%
1021     \vss}%
1022   }%
1023   \kern-#2em%
1024 }TeX

```

3.13 Authors, contributors, addresses, signatures

An article may have several authors (of course), so we permit an `\author` command for each of them. The names are then stored in a set of `\csnames` called `\author1`, `\author2`, ... Similarly, there are several `\address<n>` and `\netaddress<n>` and `\PersonalURL<n>` and `\ORCID<n>` commands set up for each article.

Comment: I would like to make provision for several authors at the same address, but (short of preempting the * marker, which it would be nice to retain so as to preserve compatibility with the `plain` style) I'm not sure how one would signal it.

```

1025 \def\theauthor#1{\csname theauthor#1\endcsname}
1026 \def\theaddress#1{\csname theaddress#1\endcsname}
1027 \def\thenetaddress#1{\csname thenetaddress#1\endcsname}
1028 \def\thePersonalURL#1{\csname thePersonalURL#1\endcsname}
1029 \def\theORCID#1{\csname theORCID#1\endcsname}

```

The standard way of listing authors is to iterate from 1 to `\count0` and to pick the author names as we go.

```

1030 {!!\def\newcount{\tempcnta}
1031 \def\@defaultauthorlist{%
1032   \getauthorlist\@firstofone
1033 }

```

`\getauthorlist` processes the author list, passing every bit of stuff that needs to be typeset to the macro specified as its argument.

```

1034 \def\@getauthorlist#1{%
1035   \count0\authornumber
1036   \advance\count0 by -2
1037   \tempcnta0

```

Loop to output the first $n - 2$ of the n authors (the loop does nothing if there are two or fewer authors)

```

1038   \loop
1039     \ifnum\count0>0
1040       \advance\tempcnta0 by \one

```

```

1041      #1{\ignorespaces\theauthor{\number\@tempcpta}\unskip, }%
1042      \advance\count@ by \m@ne
1043      \repeat
1044      \count@\authornumber
1045      \advance\count@ by -\@tempcpta
1046      \ifnum\authornumber>0

```

If there are two or more authors, we output the penultimate author's name here, followed by 'and'

```

1047      \ifnum\count@>1
1048          \count@\authornumber
1049          \advance\count@ by \m@ne
1050          #1{\ignorespaces\theauthor{\number\count@}\unskip\@tubauthorlastsep}%
1051      \fi

```

Finally (if there were any authors at all) output the last author's name:

```

1052      #1{\ignorespaces\theauthor{\number\authornumber}\unskip}
1053      \fi
1054 }
1055 %
1056 \def\@tubauthorlastsep{, }% until 2018, was: "\ and "

```

Signature blocks. The author can (in principle) define a different sort of signature block using `\signature`, though this could well cause the editorial group to have collective kittens (unless it had been discussed in advance...)

```

1057 \def\signature#1{\def\@signature{#1}}
1058 \def\@signature{\@defaultsignature}

```

`\@defaultsignature` loops through all the authors, outputting the details we have about that author, or (if we're in a sub-article) outputs the contributor's name and closes the group opened by `\contributor`. It is (as its name implies) the default body for `\makesignature`

```

1059 \def\@defaultsignature{{%
1060     \let\thanks\gobble
1061     \frenchspacing
1062     %
1063     \ifnum\authornumber<0

```

if `\authornumber < 0`, we are in a contributor's section

```

1064         \medskip
1065         \signaturemark
1066         \theauthor{\number\authornumber} \\
1067         \theaddress{\number\authornumber} \\
1068         \allowhyphens
1069         \thenetaddress{\number\authornumber} \\
1070         \thePersonalURL{\number\authornumber} \\
1071         \theORCID{\number\authornumber} \\
1072     \else

```

`\authornumber ≥ 0`, so we are in the body of an ordinary article

```

1073         \count@=0
1074         \loop
1075             \ifnum\count@<\authornumber
1076                 \medskip

```

```

1077      \advance\count@ by \cne
1078      \signaturemark
1079      \theauthor{\number\count@} \\
1080      \theaddress{\number\count@} \\
1081      {%
1082          \allowhyphens
1083          \thenetaddress{\number\count@} \\
1084          \thePersonalURL{\number\count@} \\
1085          \theORCID{\number\count@} \\
1086      }%
1087      \repeat
1088      \fi
1089  }%
1090 }
1091 \newdimen\signaturewidth \signaturewidth=12pc
The optional argument to \makesignature is useful in some circumstances (e.g.,
multi-contributor articles)
1092 \newcommand{\makesignature}[1] [\\medskipamount]{%
    check the value the user has put in \signaturewidth: it may be at most
    1.5pc short of \columnwidth
1093     \tempdima\signaturewidth
1094     \advance\tempdima 1.5pc
1095     \ifdim \tempdima>\columnwidth
1096         \signaturewidth \columnwidth
1097         \advance\signaturewidth -1.5pc
1098     \fi
1099     \par
1100     \penalty9000
1101     \vspace{#1}%
1102     \rightline{%
1103         \vbox{\hsize\signaturewidth \ninemoint \raggedright
1104             \parindent \z@ \everypar={\hangindent 1pc }%
1105             \parskip \z@skip
1106             \def\|{\unskip\hfil\break}%
1107             \def\\{\endgraf}%
1108             \def\phone{\rm Phone: }%
1109             \def\tubmultipleaffilauthor{\unskip,\hspace*{1em}}%
1110             \rm\@signature}%
1111     }%
1112     \ifnum\authornumber<0 \endgroup\fi
1113 }
1114 \def\signaturemark{\leavevmode\llap{$\diamond$\enspace}}

```

The idea here is that if multiple authors share affiliation information, we need only typeset the affiliation once. We separate by commas for the \maketitle, and put on separate lines, also with commas, in the \makesignature.

Similarly, within \netaddress, !tubmultipleaffilnet separates with a space before and after the comma. (All this per bb.) See tb122childstrotter.ltx, tb131sojka-czech.ltx for examples.

```

1115 \def\tubmultipleaffilauthor{\unskip,\ignorespaces}%
1116 \def\tubmultipleaffilnet{\unskip\textrm{,,}\ignorespaces}%

```

Now all the awful machinery of author definitions. `\authornumber` records the number of authors we have recorded to date.

```
1117 \newcount\authornumber
1118 \authornumber=0
```

`\author` ‘allocates’ another author name (by bumping `\authornumber`) and also sets up the address and netaddress for this author to produce a warning and to prevent oddities if they’re invoked. This last assumes that invocation will be in the context of `\signature` (`ltugboat.cls`) or `\maketitle` (`ltugproc.cls`); in both cases, invocation is followed by a line break (tabular line break `\\\` in `ltugproc`, `\endgraf` in `\makesignature` in `ltugboat`).

```
1119 \def\author{%
1120   \global\advance\authornumber\@ne
1121   \TB@author
1122 }
```

`\contributor` is for a small part of a multiple-part article; it begins a group that will be ended in `\makesignature`.

```
1123 \def\contributor{%
1124   \begingroup
1125   \authornumber\m@ne
1126   \TB@author
1127 }
```

Both ‘types’ of author fall through here to set up the author name and to initialise author-related things. `\EDITORno*` commands allow the editor to record that there’s good reason for an *address* or *netaddress* not to be there (the *personalURL* and *ORCID* are optional anyway).

```
1128 \def\TB@author#1{%
1129   \expandafter\def\csname theauthor\@number\authornumber\endcsname
1130     {\ignorespaces#1\unskip}%
1131   \expandafter\def\csname theaddress\@number\authornumber\endcsname
1132     {\TBWarningNL{Address for #1\space missing}\@gobble}%
1133   \expandafter\def\csname thenetaddress\@number\authornumber\endcsname
1134     {\TBWarningNL{Net address for #1\space missing}\@gobble}%
1135   \expandafter\let\csname thePersonalURL\@number\authornumber\endcsname
1136     \@gobble
1137   \expandafter\let\csname theORCID\@number\authornumber\endcsname
1138     \@gobble
1139 }
1140 \def\EDITORnoaddress{%
1141   \expandafter\let\csname theaddress\@number\authornumber\endcsname
1142     \@gobble
1143 }
1144 \def\EDITORnonetaddress{%
1145   \expandafter\let\csname thenetaddress\@number\authornumber\endcsname
1146     \@gobble
1147 }
```

`\address` copies its argument into the `\theaddress<n>` for this author.

```
1148 \def\address#1{%
1149   \expandafter\def\csname theaddress\@number\authornumber\endcsname
1150     {\leavevmode\ignorespaces#1\unskip}}
```

`\network` is for use within the optional argument of `\netaddress`; it defines the *name* of the network the user is on.

Comment: I think this is a fantasy, since everyone (in practice, nowadays) quotes an internet address. In principle, there are people who will quote X.400 addresses (but they're few and far between) and I have (during 1995!) seen an address with an UUCP bang-path component on `comp.text.tex`, but *really!*

```
1151 \def\@network#1{\def\@network{#1: } }
```

`\netaddress` begins a group, executes an optional argument (which should not, presumably, contain global commands) and then relays to `\@relay@netaddress` with both @ and % made active (so that they can be discretionary points in the address). If we're using $\text{\LaTeX} 2_{\varepsilon}$, we use the default-argument form of `\newcommand`; otherwise we write it out in all its horribleness.

```
1152 \newcommand{\@netaddress}[1][\relax]{%
1153   \begingroup
1154   \def\@network{}%
```

Unfortunately, because of the catcode hackery, we have still to do one stage of relaying within our own code, even if we're using $\text{\LaTeX} 2_{\varepsilon}$.

```
1155 #1\@sanitize\makespace\ \makeactive\@%
1156 \makeescape! \makebgroup[ \makeegroup]\% seems more useful than literals
1157 \makeactive.\.\makeactive\%\@relay@netaddress\%
```

`\@relay@netaddress` finishes the job. It sets `\thenetaddress` for this author to contain the network name followed by the address. As a result of our kerfuffle above, @ and % are active at the point we're entered. We ensure they're active when `\thenetaddress` gets expanded, too. (**WOT?!**)

```
1158 \def\@relay@netaddress#1{%
1159   \ProtectNetChars
1160   \expandafter\protected@xdef
1161     \csname thenetaddress\@number\authornumber\endcsname
1162     {\protect\leavevmode\textrm{\@network}\%
1163      {\protect\NetAddrChars\@%
1164        \ignorespaces#1\unskip}\%
1165    \endgroup
1166  }
```

`\personalURL` is in essence the same as `\netaddress`, apart from (1) the lack of the eccentric optional argument, and (2) the activation of '/'.

For general URLs, `url.sty` (with or without hyperref) suffices and is recommended.

```
1167 \def\@personalURL{\begingroup
1168   \@sanitize\makespace\ \makeactive\@%
1169   \makeactive.\.\makeactive\%\makeactive\@\@personalURL\%
1170 \def\@personalURL#1{%
1171   \ProtectNetChars
1172   \expandafter\protected@xdef
1173     \csname thePersonalURL\@number\authornumber\endcsname\%
1174     \protect\leavevmode
1175     \%
1176     \protect\URLchars\@%
```

```

1177      \ignorespaces#1\unskip
1178      }%
1179      }%
1180  \endgroup
1181 }

```

Define the activation mechanism for ‘@’, ‘%’, ‘.’ and ‘/’, for use in the above. Note that, since the code has ‘%’ active, we have ‘*’ as a comment character, which has a tendency to make things look peculiar...

```

1182 {%
1183   \makecomment\*
1184   \makeactive@%
1185   \gdef\netaddrat{\makeactive\@%
1186     \def@\{\discretionary{\char"40}{}{\char"40}\}%
1187     \makeactive\%
1188     \gdef\netaddrpercent{\makeactive\%*%
1189       \def%\{\discretionary{\char"25}{}{\char"25}\}%
1190     \makeactive\.
1191     \gdef\netaddrdot{\makeactive\..%
1192       \def.\{\discretionary{\char"2E}{}{\char"2E}\}}

```

\NetAddrChars is what *we* use (we’re constrained to retain the old interface to this stuff, but it *is* clunky...). Since URLs are a new idea, we are at liberty not to define a separate \netaddrslash command, and we only have \URLchars.

```

1193   \gdef\NetAddrChars{\netaddrat \netaddrpercent \netaddrdot}%
1194   \makeactive\/
1195   \gdef\URLchars{%
1196     \NetAddrChars
1197     \makeactive\/*%
1198     \def/\{\discretionary{\char"2F}{}{\char"2F}\}}

```

\ProtectNetChars includes protecting ‘/’, since this does no harm in the case of net addresses (where it’s not going to be active) and we thereby gain by not having yet another csname.

```

1199   \gdef\ProtectNetChars{%
1200     \def@\{\protect@\}%
1201     \def%\{\protect%\}%
1202     \def.\{\protect.\}%
1203     \def/\{\protect/\}%
1204   }
1205 }

```

LATEX 2_E (in its wisdom) suppresses \DeclareOldFontCommand when in compatibility mode, so that in that circumstance we need to use a declaration copied from lAtEx209.def rather than the way we would normally do the thing (using the command LATEX 2_E defines for the job).

```

1206 \if@compatibility
1207   \DeclareRobustCommand{\net}{\normalfont\ttfamily\mathgroup\symtypewriter}%
1208 \else
1209   \DeclareOldFontCommand{\net}{\ttfamily\upshape\mdseries}{\mathhtt}%
1210 \fi
1211 \def\authorlist#1{\def\@author{#1}%
1212 \def\@author{\@defaultauthorlist}

```

`\ORCID` inserts ‘ORCID’ and then argument into the `\theORCID<n>` for this author. Also, we want `\small` for this.

```
1213 \def\ORCID#1{%
1214   \expandafter\def\csname theORCID\endcsname{#1}%
1215   {\leavevmode \ignorespaces {\SMC ORCID} #1\unskip}}
```

For the online re-publication (as of 2009) by Mathematical Sciences Publishers <http://mathscipub.org>, lots and lots of metadata is needed, much of it redundant with things we already do. They are flexible enough to allow us to specify it in any reasonable way, so let’s make one command `\mspmetavar` which takes two arguments. Example: `\mspmetavar{volumenumber}{30}`. For our purposes, it is just a no-op. And this initiative never came to anything, so it is not used at all.

```
\mspmetavar
1216 \def\mspmetavar#1#2{}
```

3.14 Article title

`\if@articletitle \maketitle` takes an optional “*”; if present, the operation is not defining the `\maketitle` title of a paper, merely that of a “business” section (such as the participants at `\@r@maketitle` a meeting) that has no credited author or other title. In this case, the command flushes out the latest `\sectitle` (or whatever) but does nothing else.

Provide machinery (`\PreTitleDrop` to skip extra space, even one or more full columns, above the top of an article to leave space to paste up a previous article that has finished on the same page. This is a fall back to accommodate the fact that multiple articles cannot be run together easily.

In addition, if the `secondcolstart` option was specified, do `\null\newpage` to move over. This is separate from `\PreTitleDrop`, for no particular reason.

```
1217 \newif\if@articletitle
1218 \def\maketitle{\@ifstar
1219   {\@articletitlefalse\@r@maketitle}%
1220   {\@articletiteltrue\@r@maketitle}%
1221 }
1222 \def\@r@maketitle{\par
1223   \iftubseconcolstart \null\newpage\tubseconcolstartextra \fi
1224   \ifdim\PreTitleDrop > \z@
1225     \loop
1226     \ifdim \PreTitleDrop > \textheight
1227       \vbox{}\vfil\eject
1228       \advance\PreTitleDrop by -\textheight
1229     \repeat
1230     \vbox to \PreTitleDrop{\vfil}%
1231     \global\PreTitleDrop=\z@
1232   \fi
1233   \begingroup
1234   \setcounter{footnote}{0}
1235   \global\@topnum\z@ % disallow floats above the title
1236   \def\thefootnote{\fnsymbol{footnote}}%
1237   \@maketitle
1238   \@thanks
1239   \endgroup
1240   \setcounter{footnote}{0}
```

```

1241 \gdef\@thanks{%
1242 }

\title We redefine the \title command, so as to set the \rhTitle command at the same
\TB@title time. While we're at it, we redefine it to have optional arguments for use as ‘short’
versions, thus obviating the need for users to use the \shortTitle command.

1243 \def\rhTitle{}% avoid error if no author or title
1244 \renewcommand{\title}{\@dblarg\TB@title}
1245 \def\TB@title[#1]#2{\gdef\@title{#2}%
1246   \bgroup
1247     \let\thanks\gobble
1248     \def\\{\unskip\space\ignorespaces}%
1249     \protected@xdef\rhTitle{#1}%
1250   \egroup
1251 }

```

\shortTitle The \rh* commands are versions to be used in the running head of the article.
\ifshortAuthor Normally, they are the same things as the author and title of the article, but in the
\shortAuthor case that there are confusions therein, the text should provide substitutes, using
the \short* commands.

```

1252 \def\shortTitle #1{\def\rhTitle{#1}}
1253 \newif\ifshortAuthor
1254 \def\shortAuthor #1{\def\rhAuthor{#1}\shortAuthortrue}

```

3.15 Section titles

The following macros are used to set the large *TUGboat* section heads (e.g. “General Delivery”, “Fonts”, etc.)

Define the distance between articles which are run together:

```
1255 \def\secsep{\vskip 5\baselineskip}
```

Note that \stbaselineskip is used in the definition of \sectitlefont, in IATEX 2_E, so that it has (at least) to be defined before \sectitlefont is used (we do the whole job).

```

1256 \newdimen\stbaselineskip          \stbaselineskip=18\p@
1257 \newdimen\stfontheight
1258 \settoheight{\stfontheight}{\sectitlefont 0}

```

Declaring section titles; the conditional \ifSecTitle records the occurrence of a \sectitle command. If (when) a subsequent \maketitle occurs, the section title box will get flushed out; as a result of this, one could in principle have a set of \sectitle commands in a semi-fixed steering file, and inclusions of files inserted only as and when papers have appeared. Only the last \sectitle will actually be executed.

```

1259 \newif\ifWideSecTitle
1260 \newif\iftubtitlerulefullwidth
1261 \newif\ifSecTitle \SecTitlefalse
1262 \newcommand{\sectitle}{%
1263   \SecTitletrue
1264   \@ifstar
1265     {\WideSecTitletrue\def\s@ctitle}%
1266     {\WideSecTitlefalse\def\s@ctitle}%
1267 }

```

`\PreTitleDrop` records the amount of column-space we need to eject before we start any given paper. It gets zeroed after that ejection has happened.

```
1268 \newdimen\PreTitleDrop \PreTitleDrop=\z@
```

The other parameters used in `\@sectitle`; I don't think there's the slightest requirement for them to be registers (since they're constant values, AFAIK), but converting them to macros would remove the essentially useless functionality of being able to change them using assignment, which I'm not about to struggle with just now...

`\AboveTitleSkip` is glue above the article title; `\BelowTitleSkip` is glue below the authors in the title block. `\strulethickness` is the value to use for `\fboxrule` when setting the title, and for the rule above titles when there is no box.

For `\BelowTitleSkip`, add some stretch and shrink since the first column of an article often needs it; otherwise, a first column of all text will come out underfull. Use `plus2pt` since that is the same as the glue above sections, but `minus1pt` since we'd usually prefer to shrink somewhere else if possible.

```
1269 \newskip\AboveTitleSkip \AboveTitleSkip=12pt
1270 \newskip\BelowTitleSkip \BelowTitleSkip=8pt plus2pt minus1pt
1271 \newdimen\strulethickness \strulethickness=.6pt
```

`\@sectitle` actually generates the section title (in a rather generous box). It gets called from `\maketitle` under conditional `\ifSecTitle`; by the time `\@sectitle` takes control, we already have `\SecTitlefalse`. This implementation uses L^AT_EX's `\framebox` command, on the grounds that one doesn't keep a dog and bark for oneself...

```
1272 \def\@sectitle #1{%
1273   \par
1274   \penalty-1000}
```

If we're setting a wide title, the stuff will be at the top of a page (let alone a column) but inside a box, so that the separator won't be discardable: so don't create the separator in this case.

```
1275   \ifWideSecTitle\else\secsep\fi
1276   {%
1277     \fboxrule\strulethickness
1278     \fboxsep\z@
1279     \noindent\framebox[\hsize]{%
1280       \vbox{%
1281         \raggedcenter
1282         \let\\@\@sectitle@newline
1283         \sectitlefont
1284         \makestrut[2\stfontheight;\z@]%
1285         #1%
1286         \makestrut[\z@;\stfontheight]\endgraf
1287       }%
1288     }%
1289   }%
1290   \nobreak
1291   \vskip\baselineskip
1292 }
```

`\@sectitle@newline` For use inside `\sectitle` as `\\".` Works similarly to `\\"` in the “real world”—uses an optional argument

```
1293 \newcommand{\@sectitle@newline}[1][\z@]{%
1294   \ifdim#1>\z@
1295     \makestrut[\z@;#1]%
1296   \fi
1297   \unskip\break
1298 }
```

We need to trigger the making of a section title in some cases where we don’t have a section title proper (for example, in material taken over from TTN).

```
1299 \def\@makesectitle{\ifSecTitle
1300   \global\SecTitlefalse
1301   \ifWideSecTitle
1302     \twocolumn[\@sectitle{\s@ctitle}]%
1303     \global\WideSecTitlefalse
1304   \else
1305     \@sectitle{\s@ctitle}%
1306   \fi
1307 \else
1308   \vskip\AboveTitleSkip
1309   \kern\topskip
1310   \hrule\@height\z@\@depth\z@\@width 10\p@
1311   \kern-\topskip
1312   \kern-\strulethickness
1313   \iftubtitlerulefullwidth
1314     \hrule\@height\strulethickness\@depth\z@ width\textwidth
1315   \else
1316     \hrule\@height\strulethickness\@depth\z@
1317   \fi
1318   \kern\medskipamount
1319   \nobreak
1320 \fi
1321 }
```

`\@maketitle` Finally, the body of `\maketitle` itself.

```
1322 \def\@maketitle{%
1323   \@makesectitle
1324   \if@articletitle{%
1325     \nohyphens\interlinepenalty\@M
1326     \setbox0=\hbox{%
1327       \let\thanks\@gobble
1328       \let\\=\quad
1329       \let\and=\quad
1330       \ignorespaces\@author}%
1331   }%
1332   \noindent\bf\raggedright\ignorespaces\frenchspacing
1333   \let\BibTeX=\bf BibTeX % else LaTeX Font Warning:
1334   %           Font shape ‘OT1/cmr/bx/sc’ undefined
1335   \@title\endgraf
1336 }%
1337 \ifdim\wd0<5\p@ % omit if author is null
1338 \else
```

Since we have $\text{\BelowTitleSkip} + 4\text{pt} = \text{\baselineskip}$, we skip by 4pt here. However, an all-text first column still comes out underfull, maybe because of the top rule? Thus \BelowTitleSkip is given a little stretch and shrink.

```

1339      \nobreak \vskip 4\p@%
1340      {%
1341          \leftskip=\normalparindent
1342          \raggedright
1343          \def\and{\unskip\%}
1344          \noindent@author\endgraf
1345      }%
1346      \fi
1347      \nobreak
1348      \vskip\BelowTitleSkip
1349  }\fi%
1350 \global\@afterindentfalse
1351 \aftergroup\@afterheading
1352 }
```

Dedications are ragged right, in italics.

```

1353 \newenvironment{dedication}%
1354   {\raggedright\noindent\itshape\ignorespaces}%
1355   {\endgraf\medskip}
```

The `abstract` and `longabstract` environments both use `\section*`. For one-column articles (or in `ltugproc` class), indent the abstract. This is done in the usual bizarre L^AT_EX way, by treating it as a one-item list with an empty item marker.

```

1356 \def\@tubonecolumnabstractstart{%
1357     \list{}{\listparindent\normalparindent
1358         \itemindent\z@\leftmargin\@tubfullpageindent
1359         \rightmargin\leftmargin \parsep \z@\item[]\ignorespaces
1360 }%
1361 \def\@tubonecolumnabstractfinish{%
1362     \endlist
1363 }%
1364 \renewenvironment{abstract}%
1365   {\begin{SafeSection}%
1366     \section*{%
1367       \if@tubtwocolumn\else \hspace*{\@tubfullpageindent}\fi
1368       Abstract}%
1369     \if@tubtwocolumn\else \@tubonecolumnabstractstart \fi
1370   }%
1371   {\if@tubtwocolumn\else \@tubonecolumnabstractfinish \fi
1372   \end{SafeSection}%
1373 \newenvironment{longabstract}%
1374   {\begin{SafeSection}%
1375     \section*{Abstract}%
1376     \bgroup\small
1377   }%
1378   {\endgraf\egroup
1379   \end{SafeSection}%
1380   \vspace{.25\baselineskip}
1381   \begin{center}}
```

```

1382     {$---$}
1383     \end{center}
1384     \vspace{.5\baselineskip}}

```

3.16 Section headings

Redefine style of section headings to match plain *TUGboat*. Negative beforeskip suppresses following parindent. (So negate the stretch and shrink too).

These macros are called `*head` in the plain styles.

Relaying via `\TB@startsection` detects inappropriate use of `\section*`. Of course, if (when) *we* use it, we need to avoid that relaying; this can be done by `\letting \TB@startsection to \TB@safestartsection`, within a group.

First the version for use in the default case, when class option NUMBERSEC is in effect.

The `\tubsecfmt` macro defines our standard formatting for section titles: ragged right, french spacing, no hyphenation. The `\tubruninsecfmt` macro is the simpler form for run-in section headings (when the afterskip is negative), with the afterskip glue given by `\tubruninglue`. The `\tubsechook` macro allows overriding the defaults.

```

1385 \def\tubsechook{}
1386 \def\tubsecfmt{\normalsize\bf\raggedright\frenchspacing\nohyphens\tubsechook}
1387 \def\tubruninglue{-1em plus-2\fontdimen3\font minus-\fontdimen4\font}
1388 \def\tubruninsecfmt{\normalsize\bf\tubsechook}
1389 %
1390 \if@numbersec
1391   \def\section{\TB@startsection{%
1392     {section}          % name of counter
1393     {1}                % level
1394     {0pt}              % indent
1395     {-8pt plus-2pt minus-2pt} % beforeskip; negative --> \noindent after
1396     {4pt}              % afterskip; negative --> hspace for run-in
1397     {\tubsecfmt}}}      % style
1398 %
1399   \def\subsection{\TB@startsection{%
1400     {subsection}%
1401     {2}%
1402     \z@%
1403     {-8\p@ \oplus-2\p@ \ominus-2\p@}%
1404     {4\p@}%
1405     {\tubsecfmt}}}%
1406 %
1407   \def\subsubsection{\TB@startsection{%
1408     {subsubsection}%
1409     {3}%
1410     \z@%
1411     {-8\p@ \oplus-2\p@ \ominus-2\p@}%
1412     {4\p@}%
1413     {\tubsecfmt}}}%
1414 %
1415   \def\paragraph{\TB@startsection{%
1416     {paragraph}%
1417     {4}%

```

```

1418     \z@%
1419     {4\p@ \oplus1\p@ \ominus1\p@}%
1420     {\tbruninglue}%
1421     {\tbruninsecfmt}}}

```

Now the version if class option `nonumber` is in effect, i.e., if `\if@numbersec` is false.

```

1422 \else
1423   \setcounter{secnumdepth}{0}
1424   \def\section{\TB@nolimelabel\TB@startsection{%
1425     {section}}% same as numbeed
1426     1%
1427     \z@%
1428     {-8\p@ \oplus-2\p@ \ominus-2\p@}%
1429     {4\p@}%
1430     {\tubsecfmt}}}
1431 %
1432 \def\subsection{\TB@nolimelabel\TB@startsection{%
1433   {subsection}}%
1434   2%
1435   \z@%
1436   {-8\p@ \oplus-2\p@ \ominus-2\p@}%
1437   {\tbruninglue}%
1438   {\tbruninsecfmt}}}
1439 %
1440 \def\subsubsection{\TB@nolimelabel\TB@startsection{%
1441   {subsubsection}}%
1442   3%
1443   \parindent
1444   {-8\p@ \oplus-2\p@ \ominus-2\p@}%
1445   {\tbruninglue}%
1446   {\tbruninsecfmt}}}
1447 \fi

```

`\TB@startsection` used to warn about * versions of sectioning commands when numbering wasn't in effect. But that eventually seemed a useless complaint, since it can be useful to switch back and forth between numbered and unnumbered can be useful during article development. So now `\TB@startsection` is just a synonym for `\@startsection`.

```
1448 \def\TB@startsection#1{\@startsection#1}%
```

`\TB@safe@startsection` is to be used where `\section*` (etc.) appear in places where the request is OK (because it's built in to some macro we don't fiddle with).

```
1449 \def\TB@safe@startsection#1{\@startsection#1}
```

The `SafeSection` environment allows use of *-forms of sectioning environments. It's not documented for the general public: it's intended as an editor's facility.

```

1450 \newenvironment{SafeSection}%
1451   {\let\TB@startsection\TB@safe@startsection}%
1452   {}

```

And now for the exciting sectioning commands that L^AT_EX defines but we don't have a definition for (whatever else, we don't want Lamport's originals, which come out 'like the blare of a bugle in a lullaby'¹).

The three inappropriate ones are subparagraph (indistinguishable from paragraph), and chapter and part. The last seemed almost to be defined in an early version of these macros, since there was a definition of \l@part. I've not got down to where that came from (or why). If class option NONUMBER is in effect, we also suppress \paragraph, since it has no parallel in the plain style.

```
1453 \if@numbersec
1454   \def\subparagraph{\TB@nosection\subparagraph\paragraph}
1455 \else
1456   \def\paragraph{\TB@nosection\paragraph\subsubsection}
1457   \def\subparagraph{\TB@nosection\subparagraph\subsubsection}
1458 \fi
1459 \def\chapter{\TB@nosection\chapter\section}
1460 \def\part{\TB@nosection\part\section}
1461 \def\TB@nosection#1#2{\TBWarning{class does not support \string#1,
1462   \string#2\space used instead}#2}
```

\l@<sectioninglevel> is for table of contents (of an article). We define new macros to allow easily changing the font used for toc entries (for *TUGboat*, we usually want roman, not bold), and the space between entries. Nelson Beebe and Frank Mittelbach's articles often have toc's (and few others). Also turn off microtype protrusion after

Contents

, or leaders get messed up.

```
1463 \def\TBtocsectionfont{\normalfont}
1464 \newskip\TBtocsectionspace \TBtocsectionspace=1.0ex\@plus\p@
1465 % |#1| is both the section number and title; |#2| is the page number.
1466 % Per Ulrike, the hook calls are for tagging, introduced with the
1467 % June 2023 \LaTeX.
1468 % qqq need to also do subsections like tb137carlisle to avoid hyphenation
1469 \def\l@section#1#2{%
1470   \addpenalty{\@secpenalty}%
1471   \addvspace{\TBtocsectionspace}%
1472   \tempdima 1.5em
1473   \begingroup
1474     \parindent\z@%
1475     \rightskip=0pt plus2em
1476     \parfillskip\z@%
1477     \hyphenpenalty=10000
1478     \TBtocsectionfont
1479     \leavevmode
1480     \advance\leftskip\tempdima
1481     \hskip-\leftskip
1482     \ifx\UseHookWithArguments\undefined\else
1483       \UseHookWithArguments{contentsline/text/before}{4}
1484       {\toclevel@part}{#1}{#2}{\@contentsline@destination}%

```

¹Thurber, *The Wonderful O*

```

1485   \fi
1486   % don't worry if this cs is not defined, hence the \csname.
1487   \csname contentsline@text@1@format\endcsname{#1}%
1488   number and title
1489   \ifx\UseHookWithArguments\undefined\else
1490     \UseHookWithArguments{contentsline/text/after}{4}
1491     {\@toclevel@part}{#1}{#2}{\@contentsline@destination}%
1492   \fi
1493   \nobreak
1494   \hfil
1495   \nobreak
1496   % page number
1497   \hb@xt@{\pnumwidth}{\hss
1498     \ifx\UseHookWithArguments\undefined\else
1499       \UseHookWithArguments{contentsline/page/before}{4}
1500       {\@toclevel@part}{#1}{#2}{\@contentsline@destination}%
1501     \fi
1502     \tubtypesetpageno{#2}%
1503     \ifx\UseHookWithArguments\undefined\else
1504       \UseHookWithArguments{contentsline/page/after}{4}
1505       {\@toclevel@part}{#1}{#2}{\@contentsline@destination}%
1506     \fi
1507   }\par
1508 \endgroup

```

3.17 Appendices

Appendices (which are really just another sort of section heading) raise a problem: if the sections are unnumbered, we plainly need to restore the section numbering, which in turn allows labelling of section numbers again (\TBnolimelabel happens before the \refstepcounter, so its effects get lost ... what a clever piece of design that was). So here we go:

```

1508 \renewcommand{\appendix}{\par
1509   \renewcommand{\thesection}{\@Alph\c@section}%
1510   \setcounter{section}{0}%
1511   \if@numbersec
1512   \else
1513     \setcounter{secnumdepth}{1}%
1514   \fi

```

Now: is this the start of an appendix environment? This can be detected by looking at \currenvir; if we are, we need to relay to \appendix@env to pick up the optional argument.

```

1515   \def\@tempa{appendix}
1516   \ifx\@tempa\currenvir
1517     \expandafter\@appendix@env
1518   \fi
1519 }

```

Here we deal with \begin{appendix}[*app-name*]

```

1520 \newcommand{\app@prefix@section}{}
1521 \newcommand{\@appendix@env}[1][Appendix]{%
1522   \renewcommand{\seccntformat}[1]{\csname app@prefix@\#\#1\endcsname
1523   \csname the##1\endcsname\quad}%

```

```

1524 \renewcommand{\app@prefix@section}{#1 }%
1525 }

Ending an appendix environment is pretty trivial...
1526 \let\endappendix\relax

```

3.18 References

If the sections aren't numbered, the natural tendency of the author to cross-reference (which, after all, is one of the things L^AT_EX is for ever being advertised as being good at) can cause headaches.

The following command is used by each of the sectioning commands to make a following \ref command bloop at the author. Even if the author then ignores the complaint, the poor old editor may find the offending \label rather more easily.

(Note that macro name is to be read as “*noli me label*” (I don't know the mediæval Latin for ‘label’)).

Comment To come (perhaps): detection of the act of labelling, and an analogue of \ifG@refundefined for this sort of label

```

1527 \def\TB@nolimelabel{%
1528   \def\@currentlabel{%
1529     \protect\TBWarning{%
1530       Invalid reference to numbered label on page \thepage
1531       \MessageBreak made%
1532     }%
1533     \textbf{?}%
1534   }%
1535 }

```

3.19 Title references

This is a first cut at a mechanism for referencing by the title of a section; it employs the delightfully simple idea Sebastian Rahtz has in the `nameref` package (which is part of `hyperref`). As it stands, it lacks some of the bells and whistles of the original, but they could be added; this is merely proof-of-concept.

The name label comes from the moveable bit of the section argument; we subvert the \@sect and \@ssect commands (the latter deals with starred section commands) to grab the relevant argument.

As of the June 2023 L^AT_EX (or somewhat earlier, but this is good enough), there are hooks that allow us to avoid redefining \@sect and \@ssect.

```

1536 \cfile{fmtversion}{2023-06-01}{}{%
1537 \let\TB@@sect\@sect
1538 \let\TB@@ssect\@ssect
1539 \def\@sect#1#2#3#4#5#6[#7]#8{%
1540   \def\@currentlabelname{#7}%
1541   \TB@@sect{#1}{#2}{#3}{#4}{#5}{#6}[{#7}]{#8}%
1542 }
1543 \def\@ssect#1#2#3#4#5{%
1544   \def\@currentlabelname{#5}%
1545   \TB@@ssect{#1}{#2}{#3}{#4}{#5}%
}

```

```

1546 }
1547 } % LaTeX earlier than June 2023

```

We output the name label as a second `\newlabel` command in the `.aux` file. That way, packages such as `variorref` which also read the `.aux` information can still work. So we redefine `\label` to first call the standard L^AT_EX `\label` and then write our named label as `nr<label>`.

Similarly, we only need this with pre-June 2023 L^AT_EX. With more recent LaTeX, define `currentlabelname` via hooks.

```

1548 \@ifl@t@r\fmtversion{2023-06-01}{%
1549   \RequirePackage{gettitlestring}
1550   \AddToHookWithArguments{cmd/@sect/before}{%
1551     \GetTitleString{#7}%
1552     \let\@currentlabelname\GetTitleStringResult}%
1553   \AddToHookWithArguments{cmd/@ssect/before}{%
1554     \GetTitleString{#5}%
1555     \let\@currentlabelname\GetTitleStringResult}%
1556 }% else older latex:
1557 \let\@savelatexlabel=\label % so save original LaTeX command
1558 %
1559 \def\label#1{%
1560   \@savelatexlabel{#1}%
1561   \obspshack
1562   \if@filesw
1563     \protected@write\auxout{}{%
1564       {\string\newlabel{nr@#1}{{\@currentlabel}{\@currentlabelname}}}}%
1565   \fi
1566   \esphack
1567 % in case there are no sectioning commands:
1568 \let\@currentlabelname\empty
1569 }

```

Getting named references is then just like getting page references in the L^AT_EX kernel (see `ltxref.dtx`).

The above was written by RobinF decades ago; the macros in *TUGboat* were never changed. Meanwhile, the `\nameref` in `hyperref` has changed many times, and we want to use its version if available. So we provide our `\nameref` `\AtBeginDocument`, so as not to overwrite any previous version. Until May 2022, `hyperref` silently overwrote an existing definition, that is, *TUGboat*'s. But now it is no longer silent.

It seems that all the internal definitions above do not cause problems, so just let them alone.

```

1570 \AtBeginDocument{%
1571   \@ifl@t@r\fmtversion{2023-06-01}{%
1572     { % after June 2023, LaTeX stores the label name; use that.
1573       \long\def\@thirddoffive#1#2#3#4#5{#3}%
1574       \providecommand\nameref[1]{%
1575         \expandafter\@setref
1576         \csname r@#1\endcsname\@thirddoffive{#1}}%
1577     }%
1578     { % for earlier versions, still avoid overwriting \nameref per above.
1579       % but if not otherwise defined, use the "nr" label defined by our \label.
1580       \providecommand\nameref[1]{%

```

```

1581      \expandafter\@setref
1582      \csname r@nr@#1\endcsname\@secondoftwo{#1}%
1583 }%
1584 }

```

3.20 Float captions

By analogy with what we've just done to section titles and the like, we now do our best to discourage hyphenation within captions. We also typeset them in `\small` (actually `\tubcaptionfonts`).

First, let's define a dimension by which we will indent full-page captions. We'll also use this to indent abstracts in proceedings style.

```
\@tubfullpageindent
1585 \newdimen\@tubfullpageindent
1586 \@tubfullpageindent = \if@tubtwocolumn 4.875pc \else 3.875pc \fi
```

One-line captions are normally centered, but sometimes we want to set them flush left for consistency with other nearby figures.

```
\tubcaptionleftglue
1587 \let\tubcaptionleftglue=\hfil

For TUGboat, we like 9pt captions to help differentiate from the main text.
1588 \def\tubcaptionfonts{\small}%
Ok, here is \makecaption.
1589 \long\def\makecaption#1#2{%
1590   \vskip\abovecaptionskip
1591   % try in an hbox:
1592   \sbox\@tempboxa{\tubcaptionfonts \frenchspacing \tubmakecaptionbox{#1}{#2}}%
1593   \ifdim \wd\@tempboxa > \hsize
1594     % caption doesn't fit on one line; set as a paragraph.
1595     \tubcaptionfonts \raggedright \hyphenpenalty=\@M \parindent=1em
1596     % indent full-width captions {figure*}, but not single-column {figure}.
1597     \ifdim\hsize = \textwidth
1598       \leftskip=\@tubfullpageindent \rightskip=\leftskip
1599       \advance\rightskip by 0pt plus2em % increase acceptable raggedness
1600     \fi
1601     \noindent \tubmakecaptionbox{#1}{#2}\par}%
1602   \else
1603     % fits on one line; use the hbox, usually centered. Do not reset its glue.
1604     \global\@minipagetrue
1605     \hb@xt@\hsize{\tubcaptionleftglue\box\@tempboxa\hfil}%
1606   \fi
1607   \vskip\belowcaptionskip
1608 %
1609 \def\tubmakecaptionbox#1#2{#1:\ #2}%
allow overriding for a paper
```

Also use `\tubcaptionfonts` for the caption labels, and put the label (e.g., "Figure 1") in bold. If the `listings` package is being used, bold for its label too; this `\def` is too early, but maybe `listings` will play nice later.

```

1610 \def\fnum@figure{{\tubcaptionfonts \bf \figurename\nobreakspace\thefigure}}
1611 \def\fnum@table{{\tubcaptionfonts \bf \tablename\nobreakspace\thetable}}
1612 \def\lstlistingnamestyle{\bfseries}
```

Let's reduce the default space above captions a bit, and give it some flexibility. The default is 10pt, which seems too much.

```
1613 \setlength\abovecaptionskip{3pt plus1pt minus1pt}
```

Let's also reduce the space between floats, and between floats and text. The `\dbl...` versions of these parameters are not used, even though we're typesetting in double columns.

```
1614 \setlength\floatsep    { 9pt plus3pt minus2pt} % default 12pt plus2pt minus2pt
1615 \setlength\textfloatsep{12pt plus4pt minus3pt} % default 20pt plus2pt minus4pt
```

We want to allow more floats at the top/bottom/everywhere on a page; all depends on their content.

```
1616 \setcounter{bottomnumber}{2} % default 1
1617 \setcounter{topnumber}{4}    % default 2
1618 \setcounter{totalnumber}{6}  % default 3
```

3.21 Size changing commands

Apart from their ‘normal’ effects, these commands change the glue around displays.

```
1619 \renewcommand{\normalsize}{%
1620   \@setfontsize\normalsize\xpt\xipt
1621   \abovedisplayskip=3\p@+\p@-\p@
1622   \belowdisplayskip=\abovedisplayskip
1623   \abovedisplayshortskip=z@\p@+\p@
1624   \belowdisplayshortskip=p@\p@+\p@-\p@
1625 }
1626
1627 \renewcommand{\small}{%
1628   \@setfontsize\small\xpt{11}%
1629   \abovedisplayskip=2.5\p@+\p@-\p@
1630   \belowdisplayskip=\abovedisplayskip
1631   \abovedisplayshortskip=z@\p@+\p@
1632   \belowdisplayshortskip=p@\p@+\p@-\p@
1633 }
1634
1635 \renewcommand{\footnotesize}{%
1636   \@setfontsize\footnotesize\xiipt{9.5}%
1637   \abovedisplayskip=3\p@+\p@-\p@
1638   \belowdisplayskip=\abovedisplayskip
1639   \abovedisplayshortskip=z@\p@+\p@
1640   \belowdisplayshortskip=p@\p@+\p@-\p@
1641 }
```

3.22 Lists and other text inclusions

```
1642 \def\@listi{%
1643   \leftmargin\leftmargini\parsep=\p@+\p@-\p@
1644   \itemsep=\parsep
1645   \listparindent=1em
1646 }
1647
1648 \def\@listii{%
1649   \leftmargin\leftmarginii
```

```

1650 \labelwidth=\leftmarginii \advance\labelwidth-\labelsep
1651 \topsep=2\p@+\p@-\p@ % space between first item and preceding
1652 \parsep=\p@+\p@-\p@ %
1653 \itemsep=\parsep % space between successive items
1654 \listparindent=1em % indentation of subsequent paragraphs
1655 }
1656
1657 \def\@listiii{%
1658   \leftmargin=\leftmarginii
1659   \labelwidth=\leftmarginii \advance\labelwidth-\labelsep
1660   \topsep=\p@+\p@-\p@
1661   \parsep=\z@
1662   \itemsep=\topsep
1663   \listparindent=1em
1664 }
1665 \def\quote{\list{}{\rightmargin.5\leftmargin}\item[]}

```

From Dominik Wujastyk's font article. First paragraph of a quotation will not be indented, and right margin is decreased for narrow columns.

```

1666 \renewcommand{\quotation}{\list{}{\listparindent 1.5em
1667   \rightmargin.5\leftmargin\parsep \z@\p@\item[]}}

```

The `compactitemize`, `compactenumerate`, and `compactdescription` environments, without space between the items.

```

1668 \newenvironment{compactitemize}%
1669   {\begin{itemize}%
1670     \setlength{\itemsep}{0pt}%
1671     \setlength{\parskip}{0pt}%
1672     \setlength{\parsep}{0pt}%
1673   }%
1674   {\end{itemize}%
1675 }%
1676 \newenvironment{compactenumerate}%
1677   {\begin{enumerate}%
1678     \setlength{\itemsep}{0pt}%
1679     \setlength{\parskip}{0pt}%
1680     \setlength{\parsep}{0pt}%
1681   }%
1682   {\end{enumerate}%
1683 }%
1684 \newenvironment{compactdescription}%
1685   {\begin{description}%
1686     \setlength{\itemsep}{0pt}%
1687     \setlength{\parskip}{0pt}%
1688     \setlength{\parsep}{0pt}%
1689   }%
1690   {\end{description}%
1691 }

```

3.23 Some fun with verbatim

The `plain TUGboat` style allows [optional] arguments to its `\verbatim` command. This will allow the author (or editor) to specify a range of exciting features; we would definitely like the numbered verbatim style for code (that facility is reserved for a future version of this package), and the present little bit of code

imposes the `\ruled` option on the built-in `verbatim` environment. (Note that we don't yet deal with `verbatim*`, which is in itself an option to the `plain` original.)

We start by saving various bits and bobs whose operation we're going to subvert.

```
1692 \%let\@TB@verbatim\@verbatim  
1693 \let\@TBverbatim\verbatim  
1694 \let\@TBendverbatim\endverbatim
```

Impose an optional argument on the environment.

We start the macro with `\par` to avoid a common error: if the optional argument is `\small`, and the document has no blank line before the `verbatim` block, we don't want that preceding paragraph to be set with `\small`'s line spacing.

(`\obeylines` added to prevent the `\futurelet` from propagating into the body of the `verbatim`, thus causing lines that start with odd characters (like `#` or even `\`) to behave peculiarly.)

```
1695 \def\verbatim{\par\obeylines  
1696   \futurelet\reserved@a\@switch@sqbverbatim}  
1697 %  
1698 \def\@switch@sqbverbatim{\ifx\reserved@a[%]  
1699   \expandafter\@sqbverbatim\else  
1700   \def\reserved@b{\@sqbverbatim[]}\expandafter\reserved@b\fi}  
1701 %  
1702 \def\@sqbverbatim[#1]{%
```

The optional argument consists entirely of functions that modify the appearance of the environment. Following the `plain` style, we define the functions we can execute in the optional argument here.

The command `\ruled` tells us that there should be rules above and below the `verbatim` block.

```
1703 \def\ruled{\let\if@ruled\iftrue}{%
```

The command `\makevmeta` says to make `!`...`` do `{...}`.

```
1704 \def\makevmeta{\makeescape\! \let\<\tubverb@meta \tubverb@clearliglist}  
1705 \def\tubverb@meta##1>{\meta{##1}}
```

The default `verbatim` defines “`!``,- as active characters to stop ligatures; remove `!`` from the list so we get normal characters. Just hope that the CM `!`` ligatures aren't used.

```
1706 \def\tubverb@clearliglist{  
1707   \def\verbatim@nolig@list{\do\`{\do\`{\do\`{\do\`{-}}}}%  
1708 }
```

Then we execute the arguments we've got, and relay to a (hacked) copy of the L^AT_EX `verbatim` environment.

```
1709 #1\@TBverbatim}
```

The built-in environment itself relays to `\@verbatim`, which we've subverted to impose our views on appearance.

```
1710 \def\@verbatim{%
```

First, we deal with `\ruled`:

```
1711 \if@ruled\trivlist\item\hrule\kern5\p@\nobreak\fi
```

Now, the code out of the original `verbatim` environment:

```

1712 \trivlist \item\relax
1713 \if@minipage\else\vskip\parskip\fi
1714 \leftskip\@totalleftmargin\rightskip\z@skip
1715 \parindent\z@\parfillskip\@flushglue\parskip\z@skip
1716 \@@par
1717 \tempswafalse
1718 \def\par{%
1719   \if@tempswa
1720     \leavevmode \null \@@par\penalty\interlinepenalty
1721   \else
1722     \tempswatrue
1723     \ifhmode\@@par\penalty\interlinepenalty\fi
1724   \fi}%
1725 \obeylines \verbatim@font \noligs
1726 \let\do\@makeother \dospecials
1727 \everypar \expandafter{\the\everypar \unpenalty}%
1728 }% end |\@sqbverbatim|

```

To end the environment, we do everything in reverse order: relay via the copy we made of `\endverbatim`, and then finish off the option changes (again `\ruled` only, so far).

```

1729 \def\endverbatim{\@TBendverbatim
1730   \if@ruled\kern5\p@\hrule\endtrivlist\fi}

```

Define the `\if` used by the `\ruled` option:

```
1731 \let\if@ruled\iffalse
```

Finally, if `microtype` is loaded, we want it to be deactivated in verbatim blocks. It often manipulates a leading `\` rather too much, thus messing with the visible fixed-width alignment.

```

1732 \AtBeginDocument{%
1733   \ifpackageloaded{microtype}%
1734     {\g@addto@macro\@verbatim{\microtypesetup{activate=false}}}{}%
1735 }

```

3.24 Bibliography

This is more or less copied verbatim from Glenn Paulley's *chicago.sty* (`gnpaulle@bluebox.uwaterloo.ca`). It produces an author-year citation style bibliography, using output from the BIBTEX style file based on that by Patrick Daly. It needs extra macros beyond those in standard LATEX to function properly. The form of the bibitem entries is:

```
\bibitem[\protect\citeauthoryear{Jones, Baker, and Smith}%
      {Jones et al.}{1990}{key}...]
```

The available citation commands are:

```

\cite{key}      → (Jones, Baker, and Smith 1990)
\citeA{key}     → (Jones, Baker, and Smith)
\citeNP{key}    → Jones, Baker, and Smith 1990
\citeANP{key}   → Jones, Baker, and Smith
\citeN{key}     → Jones, Baker, and Smith (1990)
\shortcite    → (Jones et al. 1990)
\citeyear     → (1990)
\citeyearNP   → 1990

```

First of all (after checking that we're to use Harvard citation at all), make a copy of L^AT_EX's default citation mechanism.

```

1736 \if@Harvardcite
1737 \let\@internalcite\cite

```

Normal forms.

```

1738 \def\cite{\def\@citeseppen{-1000}%
1739   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1740   \def\citeauthoryear##1##2##3{##1, ##3}\@internalcite}
1741 \def\citeNP{\def\@citeseppen{-1000}%
1742   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1743   \def\citeauthoryear##1##2##3{##1, ##3}\@internalcite}
1744 \def\citeN{\def\@citeseppen{-1000}%
1745   \def\@cite##1##2{##1\if@tempswa , ##2)\else{}{}\fi)}`}
1746   \def\citeauthoryear##1##2##3{##1 (##3)\@citedata}
1747 \def\citeA{\def\@citeseppen{-1000}%
1748   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1749   \def\citeauthoryear##1##2##3{##1}\@internalcite}
1750 \def\citeANP{\def\@citeseppen{-1000}%
1751   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1752   \def\citeauthoryear##1##2##3{##1}\@internalcite}

```

Abbreviated forms (using *et al.*)

```

1753 \def\shortcite{\def\@citeseppen{-1000}%
1754   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1755   \def\citeauthoryear##1##2##3{##2, ##3}\@internalcite}
1756 \def\shortciteNP{\def\@citeseppen{-1000}%
1757   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1758   \def\citeauthoryear##1##2##3{##2, ##3}\@internalcite}
1759 \def\shortciteN{\def\@citeseppen{-1000}%
1760   \def\@cite##1##2{##1\if@tempswa , ##2)\else{}{}\fi)}`}
1761   \def\citeauthoryear##1##2##3{##2 (##3)\@citedata}
1762 \def\shortciteA{\def\@citeseppen{-1000}%
1763   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1764   \def\citeauthoryear##1##2##3{##2}\@internalcite}
1765 \def\shortciteANP{\def\@citeseppen{-1000}%
1766   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1767   \def\citeauthoryear##1##2##3{##2}\@internalcite}

```

When just the year is needed:

```

1768 \def\citeyear{\def\@citeseppen{-1000}%
1769   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1770   \def\citeauthoryear##1##2##3{##3}\@citedata}
1771 \def\citeyearNP{\def\@citeseppen{-1000}%
1772   \def\@cite##1##2{##1\if@tempswa , ##2\fi)}`}
1773   \def\citeauthoryear##1##2##3{##3}\@citedata}

```

Place commas in-between citations in the same \citeyear, \citeyearNP, \citeN, or \shortciteN command. Use something like \citeN{ref1,ref2,ref3} and \citeN{ref4} for a list.

```

1774 \def\@citedata{%
1775     \@ifnextchar [{\@tempswatrue\@citedatax}{%
1776         {\@tempswafalse\@citedatax[]}}%
1777 }%
1778
1779 \def\@citedatax[#1]#2{%
1780 \if@filesw\immediate\write\auxout{\string\citation{#2}}\fi%
1781 \def\@citea{} \def\@citeb:=#2\do{%
1782     {\@citea\def\@citea{, }\@ifundefined% by Young
1783         {b@\@citeb}{\bf ?}}%
1784     \warning{Citation '\@citeb' on page \thepage \space undefined}}%
1785 {\csname b@\@citeb\endcsname}}{#1}}%

```

Don't box citations, separate with ; and a space; Make the penalty between citations negative: a good place to break.

```

1786 \def\@citex[#1]#2{%
1787 \if@filesw\immediate\write\auxout{\string\citation{#2}}\fi%
1788 \def\@citea{} \def\@citef{\@for\@citeb:=#2\do{%
1789     {\@citea\def\@citea{; }\@ifundefined% by Young
1790         {b@\@citeb}{\bf ?}}%
1791     \warning{Citation '\@citeb' on page \thepage \space undefined}}%
1792 {\csname b@\@citeb\endcsname}}{#1}}%

```

No labels in the bibliography.

```
1793 \def\@biblabel#1{}
```

Set length of hanging indentation for bibliography entries.

```

1794 \newlength{\bibhang}
1795 \setlength{\bibhang}{2em}

```

Indent second and subsequent lines of bibliographic entries. Stolen from openbib.sty: \newblock is set to {}.

```

1796 \newdimen\bibindent
1797 \bibindent=1.5em
1798 \@ifundefined{refname}{%
1799     {\newcommand{\refname}{References}}%
1800     {}}

```

For safety's sake, suppress the \TB@startsection warnings here...

```

1801 \def\thebibliography#1{%
1802     \let\TB@startsection\TB@safe@startsection
1803     \section*{\refname}
1804     \mkboth{\uppercase{\refname}}{\uppercase{\refname}}%
1805     \list{[\arabic{enumi}]}{%
1806         \labelwidth\z@ \labelsep\z@
1807         \leftmargin\bibindent
1808         \itemindent -\bibindent
1809         \listparindent \itemindent
1810         \parsep \z@
1811         \usecounter{enumi}}%
1812     \def\newblock{}%
1813     \BibJustification

```

```
1814 \frenchspacing % more than just period, see comments below
1815 }
```

etal Other bibliography odds and ends.

```
\bibentry 1816 \def\etal{\et\,al.\@\{}%
1817 \def\bibentry{%
1818 \smallskip
1819 \hangindent=\parindent
1820 \hangafter=1
1821 \noindent
1822 \sloppy
1823 \clubpenalty500 \widowpenalty500
1824 \frenchspacing
1825 }
```

\bibliography Changes made to accommodate TUB file naming conventions

```
\bibliographystyle 1826 \def\bibliography#1{%
1827 \if@filesw
1828 \immediate\write\auxout{\string\bibdata{\@tubfilename{#1}}\%}
1829 \fi
1830 \cinput{\jobname.bbl}\%
1831 }
1832 \def\bibliographystyle#1{%
1833 \if@filesw
1834 \immediate\write\auxout{\string\bibstyle{\@tubfilename{#1}}\%}
1835 \fi
1836 }
```

\thebibliography If the user's asked to use L^AT_EX's default citation mechanism (using the **rawcite** **\TB@thebibliography** option), we still need to patch **\sloppy** to support justification of the body of the bibliography. We kludge in a call to **\frenchspacing** too, since there is no reason to change only period's **\sfcode**, as L^AT_EX's original **thebibliography** (in **classes.dtx**) does.

By the way, **amsgen.sty** changes **\frenchspacing** to set the **\sfcode** of punctuation character to successively decreasing integers ending at 1001 for comma. Thus its 1006 for period is overwritten to 1000 for **thebibliography**, making **amsgen**'s **\@addpunct** ineffective. Don't know what that means in practice, if anything.

Back here, we also play with *The T_EXbook*@startsection since we always have, though that is no longer needed.

```
1837 \else % not harvardcite
1838 \let\TB@origthebibliography\thebibliography
1839 \def\thebibliography{%
1840 \let\TB@startsection\TB@safe@startsection
1841 \def\sloppy{\frenchspacing\BibJustification}%
1842 \TB@origthebibliography} % latex's thebibliography now reads args.
1843 \fi % not harvardcite
```

\BibJustification **\BibJustification** defines how the bibliography is to be justified. The Lamport **\SetBibJustification** default is simply "**\sloppy**", but we regularly find some sort of ragged right setting **\TB@sloppy** is appropriate. (**\BibJustification** is nevertheless reset to its default value at the start of a paper.)

```

1844 \let\TB@@sloppy\sloppy
1845 \let\BibJustification\TB@@sloppy
1846 \newcommand{\SetBibJustification}[1]{%
1847   \renewcommand{\BibJustification}{#1}%
1848 }
1849 \ResetCommands\expandafter{\the\ResetCommands
1850   \let\BibJustification\TB@@sloppy
1851 }

```

3.25 Registration marks

We no longer use these since Cadmus does not want them.

```

1852 \def\HorzR@gisterRule{\vrule \@height 0.2\p@ \@depth\z@ \@width 0.5in }
1853 \def\DownShortR@gisterRule{\vrule \@height 0.2\p@ \@depth 1pc \@width 0.2\p@ }
1854 \def\UpShortR@gisterRule{\vrule \@height 1pc \@depth\z@ \@width 0.2\p@ }

    "T" marks centered on top and bottom edges of paper

1855 \def\ttopregister{\rlap{%
1856   \hb@xt@\trimwd{\HorzR@gisterRule \hfil \HorzR@gisterRule
1857   \HorzR@gisterRule \hfil \HorzR@gisterRule}%
1858   \hb@xt@\trimwd{\hfil \DownShortR@gisterRule \hfil}}}
1859 \def\tbotregister{\ulap{%
1860   \hb@xt@\trimwd{\hfil \UpShortR@gisterRule \hfil}%
1861   \hb@xt@\trimwd{\HorzR@gisterRule \hfil \HorzR@gisterRule
1862   \HorzR@gisterRule \hfil \HorzR@gisterRule}%
1863 \def\topregister{\ttopregister}
1864 \def\botregister{\tbotregister}

```

3.26 Running headers and footers

```

1865 \def\rtitlex{\def\textrm##1{\normalsize\textrm{##1}}}\TUB, \volx}

registration marks; these are temporarily inserted in the running head
1866 \def\MakeRegistrationMarks{}
1867 \def\UseTrimMarks{%
1868   \def\MakeRegistrationMarks{%
1869     \ulap{\rlap{%
1870       \vbox{\rlap{\vbox to\trimlgf{\vfil\botregister}{}}
1871         \topregister\vskip \headmargin \vskip 10\p@}}}%
1872   }
1873 % put issue identification and page number in header.
1874 \def\@oddhead{\MakeRegistrationMarks
1875   \frenchspacing
1876   \normalsize\csname normalshape\endcsname\rm \tubheadhook
1877   \rtitlex\qquad \midrttitle\hfil
1878   \rtitlenexttopage\quad\tubtypesetpageno{\thepage}}
1879 \def\@evenhead{\MakeRegistrationMarks
1880   \frenchspacing
1881   \normalsize\csname normalshape\endcsname\rm \tubheadhook
1882   \tubtypesetpageno{\thepage}\quad\rtitlenexttopage
1883   \hfil\midrttitle \qquad\rtitlex}
1884
1885 % Put a ? into the page number in the headers in all but a final run, so
1886 % people aren't tempted to cite it.

```

```

1887 %
1888 \newcommand{\tubtypesetpageno}[1]{%
1889   \ifnum #1>900
1890     % in CM, numerals are exactly .5em.
1891     %
1892     % The \texorpdfstring avoids the usual hyperref warning:
1893     % Token not allowed in a PDF string ... removing '\@ifnextchar'
1894     \texorpdfstring{\makebox[.5em][1]{\small ?}}{?}%
1895     %
1896     \textsl{\@arabic{\numexpr#1-900\relax}}% assuming e-tex
1897   \else
1898     \@arabic{#1}%
1899   \fi
1900 }
1901 %
1902 % The above changes the page number in the headers and tocs. It does not
1903 % change the page number in cross-references, which will still show up
1904 % as '901' instead of '?1'. In order to do that, we'd have to redefine
1905 % |\thepage| (https://tex.stackexchange.com/questions/687258).
1906 %
1907 % The problem is that |\thepage| is not expected to contain typesetting
1908 % commands like |\makebox| and |\textsl|, but to expand to the simple
1909 % page number (in whatever form). For example, when redefining
1910 % |\thepage| to the above, terminal warnings then look like:
1911 % |LaTeX Warning: Citation 'foo' on page \makebox [.5em][1]{...}|
1912 % losing the actual page number.
1913 %
1914 % So apparently there is no way to add the ? correctly in all contexts.
1915 %
1916 % BTW, such a custom page number format would also break makeindex,
1917 % etc., but for that we could provide the information. Per Ulrike:
1918 \%usepackage{index}
1919 \%newcommand\specialthepage{\inteval{\value{page}-900}}
1920 \%newindex[\specialthepage]*{default}{idx}{ind}{Index}
1921
1922 % can be used to reset the font, e.g., tb98kuester.
1923 \def\tubheadhook{}
1924
1925 % in case the official \author is too verbose for the footnote.
1926 % (the \shortauthor / \rhAuthor stuff is only enabled for proceedings, fix!)
1927 \def\tubrunningauthor{\@author}
1928
1929 % put title and author in footer.
1930 \def\tubrunningfull{%
1931   \def\@oddfoot{\% make line break commands produce a normal space
1932     \def\\{\unskip\ignorespaces}\%
1933     \let\newline=\%
1934     \tubtypesetdoi
1935     \frenchspacing\hfil\rhTitle}
1936   \def\@evenfoot{\%
1937     \let\thanks\gobble
1938     \tubtypesetdoi
1939     \frenchspacing\tubrunningauthor\hfil}
1940 }

```

```

1941
1942 % empty footer.
1943 \def\@tubrunningminimal{%
1944   \def\@oddfoot{\tubtypesetdoi\hfil}%
1945   \def\@evenfoot{\tubtypesetdoi\hfil}%
1946 }
1947
1948 % empty footer and header.
1949 \def\@tubrunningoff{%
1950   \@tubrunningminimal
1951   \def\@oddhead{\hfil}%
1952   \def\@evenhead{\hfil}%
1953 }
1954
1955 \def\ps@headings{}
1956 \pagestyle{headings}

```

Typeset the doi. The format we decided on looks like: <https://doi.org/10.47397/tb/41-3/tb129> where the last element is the `\jobname`.

We put this below the footline. The footer definitions above specify that it is always called, even if the regular footer is empty.

If the article started in the second column (option [secondcolstart]), we manually move the doi over.

We do not check for validity of `\volno`, `\issno`, `\jobname`. For testing, etc., seems simpler to just typeset what we've got. Other scripts will verify consistency.

```

1957 %
1958 \def\tubdoiprefix{10.47397/tb} % the number crossref assigned us
1959 \def\tubabovedoi{} % fudge spacing or whatever.
1960 %
1961 \def\tubtypesetdoi{%
1962   \iftubomitdoi\else % do if not explicit omission ...
1963     \ifnum\volno>0 % and if being run for production ...
1964       \iftubfinaloption % and if [final], even if pageno>900
1965         \vbox to 0pt{ don't impact normal layout
1966           \edef\thedoi{}% but make url invalid if >900
1967             \ifnum\count0>900 example.org%
1968               \else doi.org\fi
1969             /\tubdoiprefix/\volno-\issno/\jobname}%
1970           \scriptsize
1971           \vskip\baselineskip
1972           \tubabovedoi
1973           \iftubsecondcolstart \moveright \tubcolwidthandgutter \fi
1974           \rlap{\expandafter\tbsurl\expandafter{\thedoi}}%
1975           \vss
1976         }%
1977       \fi % tubfinaloption
1978     \fi % volno>0
1979   \fi % !tubomitdoioption
1980   \global\let\tubtypesetdoi\empty % only do it once, no matter what.
1981 }
1982 %
1983 %

```

3.27 Output routine

Modified to alter `\brokenpenalty` across columns

Comment We're playing with fire here: for example, `\@outputdblcol` has changed in L^AT_EX 2_& for 1995/06/01 (with the use of `\hb@xt@`). This time there's no semantic change, but...

```
1984 \def\@outputdblcol{\if@firstcolumn \global\@firstcolumnfalse
1985   \global\setbox\@leftcolumn\box\@outputbox
1986   \global\brokenpenalty10000
1987 \else \global\@firstcolumntrue
1988   \global\brokenpenalty100
1989   \setbox\@outputbox\vbox{\hb@xt@\textwidth{\hb@xt@\columnwidth
1990     {\box\@leftcolumn \hss}\hfil \vrule \@width\columnsep\hfil
1991     \hb@xt@\columnwidth{\box\@outputbox \hss}}}\@combinedblfloats
1992   \@outputpage \begingroup \@dblfloatplacement \@startdblcolumn
1993   \@whilesw\if@fcolmade \fi{\@outputpage\@startdblcolumn}\endgroup
1994 \fi}
```

3.28 Font-related definitions and machinery

These are mostly for compatibility with plain `tugboat.sty`

```
1995 \newif\ifFirstPar \FirstParfalse
1996 \def\smc{\sc}
1997 \def\ninepoint{\small}
1998 {/clastail}
```

`\SMC` isn't small caps—Barbara Beeton says she thinks of it as “big small caps”. She says (modulo capitalisation of things...):

For the things it's used for, regular small caps are not appropriate—they're too small. Real small caps are appropriate for author names (and are so used in continental bibliographies), section headings, running heads, and, on occasion, words to which some emphasis is to be given. `\SMC` was designed to be used for acronyms and all-caps abbreviations, which look terrible in small caps, but nearly as bad in all caps in the regular text size. The principle of using “one size smaller” than the text size is similar to the design of caps in German—where they are smaller relative to lowercase than are caps in fonts intended for English, to improve the appearance of regular text in which caps are used at the heads of all nouns, not just at the beginnings of sentences.

We define this in terms of the memory of the size currently selected that's maintained in `\@currsize`: if the user does something silly re. selecting fonts, we'll get the wrong results. The following code is adapted from an old version of `relsize.sty` by Donald Arseneau and Matt Swift. (The order of examination of `\@currsize` is to get the commonest cases out of the way first.)

```
1999 {/common}
2000 \DeclareRobustCommand{\SMC}{%
2001   \ifx\@currsize\normalsize\small\else
2002   \ifx\@currsize\small\footnotesize\else
2003   \ifx\@currsize\footnotesize\scriptsize\else
2004   \ifx\@currsize\large\normalsize\else
```

```

2005      \ifx\@currsize\Large\large\else
2006      \ifx\@currsize\LARGE\Large\else
2007      \ifx\@currsize\scriptsize\tiny\else
2008      \ifx\@currsize\tiny\tiny\else
2009      \ifx\@currsize\huge\LARGE\else
2010      \ifx\@currsize\Huge\huge\else
2011      \small\SMC@unknown@warning
2012 \fi\fi\fi\fi\fi\fi\fi\fi\fi
2013 }
2014 \newcommand{\SMC@unknown@warning}{\TBWarning{\string\SMC: nonstandard
2015   text font size command -- using \string\small}
2016 \newcommand{\textSMC}[1]{\SMC #1}

```

The `\acro` command uses `\SMC` as it was originally intended. Since these things are uppercase-only, it fiddles with the spacefactor after inserting its text.

```

2017 \DeclareRobustCommand{\acro}[1]{\textSMC{#1}\@}
2018 
```

3.29 Editor's notes and other footnotes

`\EdNote` allows the editor to enter notes in the text of a paper. If the command is given something that appears like an optional argument, the entire text of the note is placed in square brackets. (Yes, it really is!)

```

2019 <*classtail>
2020 \def\xEdNote{{\EdNoteFont Editor's note:\enspace}}
2021 \def\EdNote{\@ifnextchar[%]
2022   {%
2023     \ifvmode
2024       \smallskip\noindent\let\@EdNote@\@EdNote@v
2025     \else
2026       \unskip\quad\def\@EdNote@{\unskip\quad}%
2027     \fi
2028     \@EdNote
2029   }%
2030   \xEEdNote
2031 }
2032 \long\def\@EdNote[#1]{%
2033   [\thinspace\xEdNote\ignorespaces
2034   #1%
2035   \unskip\thinspace]%
2036   \@EdNote@
2037 }
2038 \def\@EdNote@v{\par\smallskip}

```

Macros for Mittelbach's self-documenting style

```

2039 \def\SelfDocumenting{%
2040   \setlength\textwidth{31pc}
2041   \onecolumn
2042   \parindent \z@
2043   \parskip 2\p@\oplus\p@\ominus\p@
2044   \oddsidemargin 8pc
2045   \evensidemargin 8pc
2046   \marginparwidth 8pc
2047   \toks@\expandafter{\@oddhead}%

```

```

2048 \xdef\@oddhead{\hss\hb@xt@{\pagewd}{\the\toks@}}%
2049 \toks@\expandafter{\@evenhead}%
2050 \xdef\@evenhead{\hss\hb@xt@{\pagewd}{\the\toks@}}%
2051 \def\ps@titlepage{}%
2052 }
2053 \def\ps@titlepage{%
2054 %
2055 \long\def\@makefntext#1{\parindent 1em\noindent\hb@xt@2em{}}%
2056 \llap{\@makefnmark}\null$ \mskip5mu$#1}%
2057 %
2058 %% \long\def\@makefntext#1{\parindent 1em
2059 %%     \noindent
2060 %%     \hb@xt@2em{\hss\@makefnmark}%
2061 %%     \hskip0.27778\fontdimen6\textfont\z@\relax
2062 %%     #1%
2063 %% }%

```

`\tubraggedfoot` To get a ragged-right footnote.

```

2064 \newcommand{\tubraggedfoot}{\rightskip=\raggedskip plus\raggedstretch\relax}

```

`\creditfootnote` Sometimes we want the label “Editor’s Note:”, sometimes not.

`\supportfootnote`

```

2065 \def\creditfootnote{\nomarkfootnote\xEdNote}%
2066 \def\supportfootnote{\nomarkfootnote\relax}

```

General macro `\nomarkfootnote` to make a footnote without a reference mark, etc. #1 is an extra command to insert, #2 the user’s text.

```

2067 \gdef\nomarkfootnote#1#2{\begingroup
2068   \def\thefootnote{}%
2069   % no period, please, also no fnmark. Also no hyperref warning.
2070   \def\@makefntext##1##2{}%
2071   \def\Hy@Warning##1{}%
2072   \footnotetext{\noindent #1#2}%
2073 \endgroup}

```

3.30 Initialization

If we’re going to use Harvard-style bibliographies, we set up the bibliography style: the user doesn’t get any choice. (Not recommended.)

```

2074 \if@Harvardcite
2075   \AtBeginDocument{%
2076     \bibliographystyle{ltugbib}%
2077   }
2078 \fi
2079 \authornumber\z@
2080 \let\@signature\@defaultsignature
2081 \InputIfFileExists{ltugboat.cfg}
2082 { \TBInfo{Loading ltugboat.cfg configuration information}{}%
2083 {}%
2084 //clastail}

```

4 L^AT_EX 2 _{ϵ} proceedings class (no longer used)

\@tugclass Make the code of `ltugboat.cls` (when we load it) say it's really us:

```
2085 <*ltugprocls>
2086 \def\@tugclass{ltugproc}
```

\if@proc@sober TUG'96 proceedings switched to more sober headings still; so the `tug95` option
\if@proc@numerable establishes the original state. In the absence of any other guidance, we use the '96
for TUG'97 proceedings, but also allow numbering of sections.

```
2087 \newif\if@proc@sober
2088 \newif\if@proc@numerable
2089 \DeclareOption{tug95}{%
2090   \@proc@soberfalse
2091   \@proc@numerablefalse
2092 }
2093 \DeclareOption{tug96}{%
2094   \@proc@sobertrue
2095   \@proc@numerablefalse
2096 }
2097 \DeclareOption{tug97}{%
2098   \@proc@sobertrue
2099   \@proc@numerabletrue
2100 }
2101 \DeclareOption{tug2002}{%
2102   \@proc@sobertrue
2103   \@proc@numerabletrue
2104   \let\if@proc@numbersec\iftrue
2105   \PassOptionsToClass{numbersec}{ltugboat}%
2106 }
```

\if@proc@numbersec If we're in a class that allows section numbering (the actual check occurs after
\ProcessOptions, we can have the following:

```
2107 \DeclareOption{numbersec}{\let\if@proc@numbersec\iftrue
2108   \PassOptionsToClass{numbersec}{ltugboat}%
2109 }
2110 \DeclareOption{nonumber}{\let\if@proc@numbersec\iffalse
2111   \PassOptionsToClass{nonumber}{ltugboat}%
2112 }
```

\ifTB@title If we have a paper for which we want to create a detached title, with an editor's
note, and then set the paper separately, we use option `notitle`.

```
2113 \newif\ifTB@title
2114 \DeclareOption{title}{\TB@titletrue}
2115 \DeclareOption{notitle}{\TB@titlefalse
2116   \AtBeginDocument{\stepcounter{page}}}
```

There are these people who seem to think `tugproc` is an option as well as a
class...

```
2117 \DeclareOption{tugproc}{%
2118   \ClassWarning{\@tugclass}{Option \CurrentOption\space ignored}%
2119 }
```

All other options are simply passed to `\ltugboat`...

```
2120 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{\ltugboat}}
```

If there's a `tugproc` defaults file, input it now: it may tell us which year we're to perform for... (Note: this code *is* millenium-proof. It's not terribly classy for years beyond 2069, but then I'm not going to be around then—this will be an interesting task for a future `TEXie`...)

```
2121 \InputIfFileExists{@tugclass.cfg}{\ClassInfo{\ltugproc}}%
2122     {\Loading \ltugproc.cfg configuration information}{}%
2123 \ifundefined{TUGprocExtraOptions}%
2124     {\let\TUGprocExtraOptions\empty}%
2125     {\edef\TUGprocExtraOptions{\TUGprocExtraOptions}}
```

`\tugProcYear` Now work out what year it is

```
2126 \tempcnta\year
2127 \ifnum\tempcnta<2000
2128     \divide\tempcnta by100
2129     \multiply\tempcnta by100
2130     \advance\tempcnta-\year
2131     \tempcnta-\tempcnta
2132 \fi
```

And use that for calculating a year for us to use.

```
2133 \edef\tempa{\noexpand\providecommand\noexpand\tugProcYear
2134         {\ifnum10>\tempcnta\fi\the\tempcnta}}
2135 \tempa
2136 \ClassInfo{\ltugproc}{Class believes year is
2137     \expandafter\ifnum\tugProcYear<2000 19\fi\tugProcYear
2138     \gobble}
```

Check that this is a “sensible year” (one for which we have a class option defined). If not, make it a ‘suitable’ year, in particular, one that allows numbering sections.

```
2139 \expandafter\ifx\csname ds@tug\tugProcYear\endcsname\relax
2140     \def\tugProcYear{2002}\fi
```

Now execute the default ‘year’ option and get on with processing. Note that this command gets ignored if the configuration file specifies a silly year.

```
2141 \ExecuteOptions{tug\tugProcYear,title\TUGprocExtraOptions}
2142 \ProcessOptions
2143 \if@proc@numbersec
2144     \if@proc@numerable
2145     \else
2146         \ClassWarning{@tugclass}{This year's proceedings may not have
2147             numbered sections}%
2148     \fi
2149 \fi
```

Call `\ltugboat`, adding whichever section numbering option is appropriate

```
2150 \LoadClass[\if@proc@numbersec numbersec\else nonumber\fi]{\ltugboat}
```

4.1 Proceedings titles

\maketitle There's no provision for 'section titles' in proceedings issues, as there are in *TUG*. \\ifTB@madetitle *boat* proper. Note the tedious L^AT_EX bug-avoidance in the \CTB@test@document macro.

```
2151 \def\maketitle{%
2152   \begingroup
```

first, a bit of flim-flam to generate an initial value for \rhAuthor (unless the user's already given one with a \shortAuthor command).

```
2153   \ifshortAuthor\else
2154     \global\let\rhAuthor\empty
2155     \def\g@addto@rhAuthor##1{%
2156       \begingroup
2157         \toks@\expandafter{\rhAuthor}%
2158         \let\thanks\@gobble
2159         \protected\xdef\rhAuthor{\the\toks@##1}%
2160       \endgroup
2161     }%
2162     \g@getauthorlist\g@addto@rhAuthor
2163   \fi
```

now, the real business of setting the title

```
2164   \ifTB@title
2165     \setcounter{footnote}{0}%
2166     \renewcommand{\thefootnote}{\@fnsymbol\c@footnote}%
2167     \if@tubtwocolumn
2168       \twocolumn[\@maketitle]%
2169     \else
2170       \onecolumn
2171       \global\@topnum\z@
2172       \@maketitle
2173     \fi
2174     \@thanks
2175     \thispagestyle{TBproctitle}
2176   \fi
2177   \endgroup
2178   \TB@madetitletrue
2179 }
2180 \newif\ifTB@madetitle \TB@madetitlefalse
```

\CTB@test@document \CTB@test@document checks to see, at entry to \maketitle, if we've had \begin{document}. See L^AT_EX bug report latex/2212, submitted by Robin Fairbairns, for details.

```
2181 \def\CTB@test@document{%
2182   \edef\@tempa{\the\everypar}
2183   \def\@tempb{\@nodocument}
2184   \ifx\@tempa\@tempb
2185     \@nodocument
2186   \fi
2187 }
```

\AUTHORfont Define the fonts for titles and things

```
  \TITLEfont 2188 \def\AUTHORfont {\large\rmfamily\mdseries\upshape}
\addressfont
\netaddrfont
2187 }
```

```

2189 \def\TITLEfont {\Large\rmfamily\mdseries\upshape}
2190 \def\addressfont{\small\rmfamily\mdseries\upshape}
2191 \def\netaddrfont{\small\ttfamily\mdseries\upshape}

\aboveauthorskip Some changeable skips to permit variability in page layout depending on the par-
\belowauthorskip ticular paper's page breaks.
\belowabstractskip 2192 \newskip\aboveauthorskip \aboveauthorskip=18\p@ \plus4\p@
2193 \newskip\belowauthorskip \belowauthorskip=\aboveauthorskip
2194 \newskip\belowabstractskip \belowabstractskip=14\p@ \plus3\p@ \minus2\p@

\@maketitle The body of \maketitle
2195 \def\@maketitle{%
2196   \parskip\z@
2197   \frenchspacing
2198   \TITLEfont\raggedright\noindent\titlename\par
2199   \count@=0
2200   \loop
2201   \ifnum\count@<\authornumber
2202     \vskip\aboveauthorskip
2203     \advance\count@\@ne
2204     {\AUTHORfont\theauthor{\number\count@}\endgraf}%
2205     \addressfont\theaddress{\number\count@}\endgraf
2206   {%
2207     \allowhyphens
2208     \hangindent1.5pc
2209     \netaddrfont\thenetaddress{\number\count@}\endgraf
2210     \hangindent1.5pc
2211     \thePersonalURL{\number\count@}\endgraf
2212   }%
2213   \repeat
2214   \vskip\belowauthorskip}%
2215 \if@abstract
2216   \centerline{\bfseries Abstract}%
2217   \vskip.5\baselineskip\rmfamily
2218   \tubonecolumnabstractstart
2219   \the\abstract@toks
2220   \tubonecolumnabstractfinish
2221   \global\ignoretrue
2222 \fi
2223 \vskip\belowabstractskip
2224 \global\@afterindentfalse\aftergroup\@afterheading
2225 }

```

abstract (*env.*) Save the contents of the abstract environment in the token register `\abstract@toks`.

`\if@abstract` We need to do this, as otherwise it may get ‘typeset’ (previously, it got put in a `\abstract@toks` box) before `\begin{document}`, and experiments prove that this means our shiny new `\SMC` doesn’t work in this situation.

If you need to understand the ins and outs of this code, look at the place I lifted it from: `tabularx.dtx` (in the tools bundle). The whole thing pivots on having stored the name of the ‘abstract’ environment in `\@abstract@`

```

2226 \newtoks\abstract@toks \abstract@toks={}
2227 \let\if@abstract\iffalse
2228 \def\abstract{%

```

we now warn unsuspecting users who provide an abstract environment *after* the \maketitle that would typeset it...

```

2229  \ifTB@madetitle
2230    \TBCWarning{abstract environment after \string\maketitle}
2231  \fi
2232  \def\@abstract{\abstract}%
2233  \ifx\@currenvir\@abstract@
2234  \else
2235    \TBEError{\string\abstract\space is illegal:}%
2236    \MessageBreak
2237    use \string\begin{\@abstract@} instead}%
2238    {\@abstract@space may only be used as an environment}
2239  \fi
2240  \global\let\if@abstract\iftrue
2241  {\ifnum0='}\fi
2242  \@abstract@getbody}
2243 \let\endabstract\relax

```

\@abstract@getbody gets chunks of the body (up to the next occurrence of \end) and appends them to \abstract@toks. It then uses \@abstract@findend to detect whether this \end is followed by {abstract}

```

2244 \long\def\@abstract@getbody#1\end{%
2245   \global\abstract@toks\expandafter{\the\abstract@toks#1}%
2246   \@abstract@findend}

```

Here we've got to \end in the body of the abstract. \@abstract@findend takes the ‘argument’ of the \end do its argument.

```

2247 \def\@abstract@findend#1{%
2248   \def\@tempa{#1}%

```

If we've found an ‘end’ to match the ‘begin’ that we started with, we're done with gathering the abstract up; otherwise we stuff the end itself into the token register and carry on.

```

2249  \ifx\@tempa\@abstract@
2250    \expandafter\@abstract@end
2251  \else

```

It's not \end{abstract}—check that it's not \end{document} either (which signifies that the author's forgotten about ending the abstract)

```

2252  \def\@tempb{document}%
2253  \ifx\@tempa\@tempb
2254    \TBEError{\string\begin{\@abstract@}%
2255      ended by \string\end{\@tempb}}%
2256    {You've forgotten \string\end{\@abstract@}}
2257  \else
2258    \global\abstract@toks\expandafter{\the\abstract@toks\end{#1}}%
2259    \expandafter\expandafter\expandafter\@abstract@getbody
2260  \fi
2261 \fi}

```

In our case, the action at the ‘proper’ \end is a lot simpler than what appears in tabularx.dtx ... don't be surprised!

```

2262 \def\@abstract@end{\ifnum0='}\fi}%
2263 \expandafter\end\expandafter{\@abstract@}}

```

```

\makesignature \makesignature is improper in proceedings, so we replace it with a warning (and
a no-op otherwise)
2264 \renewcommand{\makesignature}{\TBWarning
2265           {\string\makesignature\space is invalid in proceedings issues} }

\ps@TBproctitle Now we define the running heads in terms of the \rh* commands.
\ps@TBproc 2266 \def\ps@TBproc{\let\@oddhead\MakeRegistrationMarks
\dopagecommands 2267 \let\@evenhead\MakeRegistrationMarks
\setpagecommands 2268 \TB@definefeet
\TB@definefeet 2269 }
\pfoottext 2270 \def\ps@TBproc{%
\rfoottext 2271 \def\@oddhead{\MakeRegistrationMarks
2272 {%
2273   \hfil
2274   \def\\{\unskip\ \ignorespaces}%
2275   \rmfamily\rhTitle
2276 }%
2277 }%
2278 \def\@evenhead{\MakeRegistrationMarks
2279 {%
2280   \def\\{\unskip\ \ignorespaces}%
2281   \rmfamily\rhAuthor
2282   \hfil
2283 }%
2284 }%
2285 \TB@definefeet
2286 }
2287
2288 \advance\footskip8\p@    % for deeper running feet
2289
2290 \def\dopagecommands{\csname @@pagecommands\expandafter\def\endcsname}
2291 \def\setpagecommands#1#2{\expandafter\def\csname @@pagecommands#1\endcsname
2292 {#2}}
2293 \def\TB@definefeet{%
2294   \def\@oddfoot{\ifpreprint\pfoottext\hfil\Now\hfil\thepage
2295   \else\rfoottext\hfil\thepage\fi\dopagecommands}%
2296   \def\@evenfoot{\ifpreprint\thepage\hfil\Now\hfil\pfoottext
2297   \else\thepage\hfil\rfoottext\fi\dopagecommands}%
2298 }
2299
2300 \def\pfoottext{{\smc Preprint}:
2301   Proceedings of the \volyr{} Annual Meeting}
2302 \def\rfoottext{\normalfont\tUB, \volx\Dash
2303   {Proceedings of the \volyr{} Annual Meeting}}
2304
2305 \pagestyle{TBproc}

```

4.2 Section divisions

Neither sections nor subsections are numbered by default in the proceedings style: note that this puts a degree of stress on authors' natural tendency to reference sections, which is a matter that needs attention. The class option NUMBERSEC once again numbers the sections (and noticeably changes the layout).

```

2306 \if@proc@numbersec
2307 \else
2308   \setcounter{secnumdepth}{0}
2309 \fi

Otherwise, the \section command is pretty straightforward. However, the
\subsection and \subsubsection are run-in, and we have to remember to have
negative stretch (and shrink if we should in future choose to have one) on the
<afterskip> parameter of \@startsection, since the whole skip is going to end up
getting negated. We use \TB@startsection to detect inappropriate forms.

2310 \if@proc@numbersec
2311 \else
2312   \if@proc@sober
2313     \def\section
2314       {\TB@nolimelabel
2315        \TB@startsection{{section}}%
2316          1%
2317          \z@%
2318          {-8\p@+\@plus-2\p@\@minus-2\p@}%
2319          {6\p@}%
2320          {\normalsize\bfseries\raggedright}}}
2321 \else
2322   \def\section
2323     {\TB@nolimelabel
2324      \TB@startsection{{section}}%
2325        1%
2326        \z@%
2327        {-8\p@+\@plus-2\p@\@minus-2\p@}%
2328        {6\p@}%
2329        {\large\bfseries\raggedright}}}
2330 \fi
2331 \def\subsection
2332   {\TB@nolimelabel
2333    \TB@startsection{{subsection}}%
2334      2%
2335      \z@%
2336      {6\p@+\@plus 2\p@\@minus2\p@}%
2337      {-5\p@+\@plus -\fontdimen3\the\font}%
2338      {\normalsize\bfseries}}}
2339 \def\subsubsection
2340   {\TB@nolimelabel
2341    \TB@startsection{{subsubsection}}%
2342      3%
2343      \parindent%
2344      \z@%
2345      {-5\p@+\@plus -\fontdimen3\the\font}%
2346      {\normalsize\bfseries}}}
2347 \fi
2348 /ltugproccls

```

5 Plain **TEX** styles

```
2349 <*tugboatsty>
```

```
2350 % err...
2351 </tugboatsty>
2352 <*tugprocsty>
2353 % err...
2354 </tugprocsty>
```

6 The L^AT_EX 2 _{ε} compatibility-mode style files

```
2355 <*ltugboatsty>
2356 \@obsoletefile{ltugboat.cls}{ltugboat.sty}
2357 \LoadClass{ltugboat}
2358 </ltugboatsty>
2359 <*ltugprocsty>
2360 \@obsoletefile{ltugproc.cls}{ltugproc.sty}
2361 \LoadClass{ltugproc}
2362 </ltugprocsty>
```